

Eclipse Scout *an Introduction*

Matthias Zimmermann

Version 5.2.0-SNAPSHOT

Table of Contents

Preface	2
1. Introduction	3
1.1. What is Scout?	3
1.2. Why Scout?	10
1.3. What should I read?	11
2. “Hello World” Tutorial	13
2.1. Installation and Setup	13
2.2. Create a new Project	13
2.3. Run the Initial Application	16
2.4. Exporting the Application	18
2.5. Deploying to Tomcat	19
3. “Hello World” Background	23
3.1. Create a new Project	23
3.2. Walking through the Initial Application	25
3.3. Run the Initial Application	28
3.4. The User Interface Part	34
3.5. The Server Part	36
3.6. Add the Rayo Look and Feel	39
3.7. Exporting the Application	39
3.8. Deploying to Tomcat	42
4. Scout Tooling	44
4.1. The Scout SDK	44
4.2. The Scout Explorer	46
4.3. The Scout Object Properties	49
4.4. Scout SDK Wizards	53
5. A One Day Tutorial	79
5.1. The “Contacts” Application	79
5.2. Tutorial Overview	80
5.3. Setting up the new Scout project	80
5.4. Adding the Person Page	86
5.5. Adding the Company Page	92
5.6. Installing the Database	94
5.7. Fetching Data from the Database	99
5.8. Creating the Person Form	103
5.9. Managing Person Data on the Server Side	122
5.10. Creating the Company Form	123
5.11. Adding the Scribe Library to the Application	123
5.12. Integrating LinkedIn Access with Scribe	125

5.13. Fetching Contacts from LinkedIn	132
Appendix A: Licence and Copyright	139
A.1. Licence Summary	139
A.2. Contributing Individuals	139
A.3. Full Licence Text	140
Appendix B: Scout Installation	141
B.1. Overview	141
B.2. Download and Install a JDK	141
B.3. Download and Install Scout	142
B.4. Add Scout to your Eclipse Installation	147
B.5. Verifying the Installation	149
Appendix C: Apache Tomcat Installation	150
C.1. Platform Specific Instructions	150
C.2. Directories and Files	151
C.3. The Tomcat Manager Application	152



This document is referring to a past Scout release. Please click [here](#) for the recent version.

Looking for something else? Visit <https://eclipsescout.github.io> for all Scout related documentation.

Preface

Today, the Java platform is widely seen as the primary choice for implementing enterprise applications. While many successful frameworks support the development of persistence layers and business services, implementing front-ends in a simple and clean way remains a challenge. This is exactly where Eclipse Scout fits in. The primary goal of Scout is to make your life as a developer easier and to help organisations to save money and time. For this, the Scout framework covers most of the recurring front-end aspects such as user authentication, client-server communication and the user interface. This comprehensive scope reduces the amount of necessary boiler plate code, and let developers concentrate on understanding and implementing business functionality.

The purpose of this book is to get the reader familiar with the Scout framework. In this book Scout's core features are introduced and explained using many practical examples. And as both the Scout framework and Scout applications are written in Java, we make the assumption that you are familiar with the language too. Ideally, you have worked with Java for some time now and feel comfortable with the basic language features.

In the first part of the book a general introduction into the runtime part of the framework and the tooling - the Scout SDK - is provided. After the mandatory "Hello World!" application, the book walks you through a complete client server application including database access. The focus of the book's second part is on the front-end side of Scout applications. First, an overview of the Scout client model is introduced before Scout's most important UI components are described based on the Scout widget demo application. To cover the the server-side of Scout applications, an additional part of the book is planned to be released jointly with version 5.0 of the Scout framework. And finally, we intend to amend the book regarding building, testing and continuous integration for Scout applications.

Last but not least, we thank you for your interest in Scout, for being part of our community and for your friendly support of new community members. To allow for contributions to this book, the technical setup and the book's licence have been selected to minimize restrictions. According to the terms of the Creative Commons (CC-BY) license, you are allowed to freely use, share and adapt this book. All source files of the book including the Scout projects described in the book are available on github. For the first edition of this book, we did already receive a number of bug reports and comments that were pointing out mistakes, inconsistencies and suggestions for changes. This feedback is very valuable to us as it helps to improve both the book's content and the quality for all future readers. We hope that this book helps you to get started quickly and would love to get your feedback.

Chapter 1. Introduction

1.1. What is Scout?

Scout is an open source framework for building business applications. The Scout framework covers most recurring aspects of a classical client server architecture with a strong focus on the application's front-end. With its multi-device capability, a Scout client applications may run simultaneously as a rich client, in the browser and on mobile and tablet devices.

To different groups of people, Scout means different things. End users are interested in a good usability, the management cares about the benefits a new framework can offers to the organisation and developers want to know if a framework is simple to use and helps them to solve practical issues. This is why the text below describes Scout from the perspective of these three roles.

1.1.1. End User Perspective

End users of enterprise applications care about friendly user interfaces (UI) and well designed functionality that support them in their everyday work. Depending on the current context/location of an end user, either desktop, web or mobile clients work best. If working in the office, a good integration of the enterprise software with Lotus Notes or Microsoft Office often help to boost the users productivity. As office software is typically installed locally on the users PC, integrating this software also requires a desktop client for the enterprise application. When a user is working on a computer outside of his company where the enterprise client is not installed (or the user lacks the permissions to install any software), the natural choice is to work with a web application. And when the user is on the move or sitting in a meeting, the only meaningful option is to work with a mobile device.




Figure 1. The desktop client of a Scout enterprise application.

To provide a concrete example, we briefly describe a real world enterprise application based on Scout. A first screenshot of a Scout desktop client is provided in Figure 000. The screenshot provides an overview of the layout of a customer relationship management (CRM) solution. On the left hand side, an entity class such as companies can be selected. Once an entity such is selected, a form is presented on the right hand side to enter the search criteria. After entering “eclipse” into the company search field, the list of matching companies is presented. Using the context menu on a specific company, the corresponding company dialog can be opened for editing.




Figure 2. A Scout enterprise application running in a web browser.

In [Figure 000](#) a screenshot of the web client of the CRM Scout application is shown. When comparing the screenshots of the desktop client with the web application it is interesting to note how Scout applications offer a consistent look and feel for the two clients. This is important as it makes the end user feel “at home” on the web client.




Figure 3. The same Scout enterprise application running on a mobile device.

Finally, [Figure 000](#) provides a screenshot of the now familiar CRM application. In contrast to desktop and web applications, most tablets and mobile phones are controlled using touch features instead of mouse clicks. In addition, less elements may be presented on a single screen compared to desktop devices. These two aspects makes it impractical to directly reuse the desktop user interface on mobile devices. The look and feel still relates to the desktop and web clients but is optimized to the different form factor of the mobile device. And the end user benefits from the identical

behaviour and the the known functionality of the application.

Comparing the company table shown in the background of [Figure 000](#) with [Figure 000](#) it can be observed that the multi-column table of the desktop client has been transformed into a list on the mobile device. In addition, the context menu “New company” is now provided as a touch button. As the navigation in the application and the offered choices remain the same for Scout desktop and mobile applications, the end user feels immediately comfortable working with Scout mobile applications.

1.1.2. Management Perspective

For the management, Scout is best explained in terms of benefits it brings to the organisation in question. This is why we are going to concentrate on a (typical) application migration scenario here. Let us assume that to support the company’s business, a fairly large landscape of multi-tier applications has to be maintained and developed. Including host systems, client server applications with desktop clients, as well as applications with a web based front-end.



Figure 4. A typical application landscape including a service bus and a Scout application.

Usually, these applications interact with each other through a service bus as shown in [Figure 000](#). Often, some of the applications that are vital to the organisation’s core business have grown historically and are based on legacy technologies. And for technologies that are no longer under active development it can get difficult to find staff having the necessary expertise or motivation. Sometimes, the organisation is no longer willing to accept the costs and technology risks of such mission critical applications.




Figure 5. The integration of a Scout application in a typical enterprise setup.

In this situation, the company needs to evaluate if it should buy a new standard product or if the old application has to be migrated to a new technology stack. Now let us assume, that available products do not fit the company's requirements well enough and we have to settle for the migration scenario. In the target architecture, a clean layering similar to the one shown in Figure 000 is often desirable.

While a number of modern and established technologies exist that address the backend side (data bases, data access and business services), the situation is different for the UI layer and the application layer. The number of frameworks to develop web applications with Java is excessively large. [1: Web application framework comparison: http://en.wikipedia.org/wiki/Comparison_of_web_application_frameworks#Java.], but the choice between desktop application technologies in the Java domain is restricted to three options only. Swing, SWT and JavaFX. Both Eclipse SWT and Java Swing are mature and well established but Swing is moving into 'maintenance only' mode and will be replaced by JavaFX. However, the maturity of the new JavaFX technology in large complex enterprise applications is not yet established. Obviously, deciding for the right UI technology is a challenge and needs to be made very carefully. Reverting this decision late in a project or after going into production can get very expensive and time consuming.

Once the organisation has decided for a specific UI technology, additional components and frameworks need to be evaluated to cover client server communication, requirements for the application layer, and integration into the existing application landscape. To avoid drowning in the integration effort for all the elements necessary to cover the UI and the application layer a 'lightweight' framework is frequently developed. When available, this framework initially leads to desirable gains in productivity. Unfortunately, such frameworks often become legacy by themselves. Setting up a dedicated team to actively maintain the framework and adapt to new

technologies can reduce this risk. But then again, such a strategy is expensive and developing business application frameworks is usually not the core business of a company.

Can we do better? To implement a business application that covers the UI and the application layer as shown in [Figure 000](#), Eclipse Scout substantially reduces both risk and costs compared to the inhouse development presented above. First of all, Scout is completely based on Java and Eclipse. Chances are, that developers are already familiar with some of these technologies. This helps in getting developers up to speed and keeping training costs low.

On the UI side, Scout's multi-device support almost allows to skip the decision for a specific UI technology. Should a particular web framework become the de-facto standard in the next years, it will be the responsibility of the Scout framework to provide the necessary support. Existing Scout applications can then switch to this new technology with only minimal effort. This is possible because the Scout developers are designing and building the UI of an application using Scout's client model. And this client model is not linked to any specific UI technology. Rather, specific UI renderers provided by the Scout framework are responsible to draw the UI at runtime.

As Scout is an open source project, no licence fees are collected. Taking advantage of the growing popularity of Scout, free community support is available via a dedicated forum. At the same time, professional support is available if the organisation decides for it.

As the migration of aging applications to current technology is always a challenge, it surely helps to have Scout in the technology portfolio. Not only is it a low risk choice, but also boosts developer productivity and helps to motivate the development team. Additional reasons on why Scout helps to drive down cost and risks are discussed in Section [Why Scout?](#).

1.1.3. Developer Perspective

From the perspective of application developers, Scout offers a Java based framework that covers the complete client server architecture. This implies that—once familiar with the Scout framework—the developer can concentrate on a single framework language (Java) and a single set of development tools.

As Scout is completely based on Java and Eclipse, Scout developers can take full advantage of existing knowledge and experience in these domains. And to make learning Scout as simple as possible, Scout includes a comprehensive software development kit (SDK), the Scout SDK. The Scout SDK helps to create a robust initial project setup for client server applications and includes a large set of wizards for repetitive and error prone tasks.

On the client-side Scout's flexible client model allows the developer to create a good user experience without having to care about specific UI technologies. The reason for this can be found in Scout's client architecture that cleanly separates the UI model from the UI technology. In Scout (almost) every UI component is implemented four times. First the implementation of the UI model component and then, three rendering components for each UI technology supported by Scout. For desktop clients these are the Swing and the SWT technologies, and for the web and mobile support this is Eclipse RAP which in turn takes care of the necessary JavaScript parts.

Not having to worry about Swing, SWT or JavaScript can significantly boost the productivity. With one exception. If a specific UI widget is missing for the user story to be implemented, the Scout

developer first needs to implement such a widget. Initially, this task is slightly more complex than not working with Scout. For custom widgets the Scout developer needs to implement both a model component and a rendering component for a specific UI technology. But as soon as the client application needs to be available on more than a single frontend, the investment already pays off. The developer already did implement the model component and only needs to provide an additional rendering component for the new UI technology. In most situations the large set of Scouts UI components provided out-of-the box are sufficient and user friendly applications are straight forward to implement. Even if the application needs to run on different target devices simultaneously.

Client-server communication is an additional aspect where the developers is supported by Scout. Calling remote services in the client application that are provided by the Scout server looks identical to the invocation of local services. The complete communication including the transfer of parameter objects is handled fully transparent by the Scout framework. In addition, the Scout SDK can completely manage the necessary transfer objects to fetch data from the Scout server that is to be shown in dialog forms on the Scout client. The binding of the transferred data to the form fields is done by the framework.

Although the Scout SDK wizards can generate a significant amount of code, there is no one-way code generation and no meta data in a Scout application. Just the Java code. [2: With the exception of the `plugin.xml` and `MANIFEST.MF` files required for Eclipse plugins.]. Developers preferring to write the necessary code manually, may do so. The Scout SDK parses the application's Java code in the background to present the updated Scout application model to the developers preferring to work with the Scout SDK.

Finally, Scout is an open source framework hosted at the Eclipse foundation. This provides a number of interesting options to developers that are not available for closed source frameworks. First of all, it is simple to get all the source code of Scout and the underlying Eclipse platform. This allows for complete debugging of all problems and errors found in Scout applications. Starting from the application code, including the Scout framework, Eclipse and down to the Java platform.

Scout developer can also profit from an increasing amount of free and publicly available documentation, such as this book or the Scout Wiki pages. And problems with Scout or questions that are not clearly addressed by existing documentation can be discussed in the Scout forum. The forum is also a great place for Scout developers to help out in tricky situation and learn from others. Ideally, answered questions lead to improved or additional documentation in the Scout Wiki.

At times, framework bugs can be identified from questions asked in the forum. As all other enhancement requests and issues, such bugs can be reported in Bugzilla by the Scout developer. Using Bugzilla, Scout developers can also contribute bug analysis and patch proposals to solve the reported issue. With this process, Scout developers can actively contribute to the code base of Eclipse Scout. This has the advantage, that workarounds in existing Scout applications can be removed when an upgrade of the Scout framework is made.

Having provided a significant number of high quality patches and a meaningful involvement in the Scout community, the Scout project can nominate a Scout developer as a new Scout committer. Fundamentally, such a nomination is based on the trust of Scout committers in the candidate. To quote the official guidelines. [3: Nominating and electing a new Eclipse Scout committer:

http://wiki.eclipse.org/Development_Resources/HOWTO/Nominating_and_Electing_a_New_Committer#Guidelines_for_Nominating_and_Electing_a_New_Committer.] for nominating and electing a new committer:

A Committer gains voting rights allowing them to affect the future of the Project. Becoming a Committer is a privilege that is earned by contributing and showing discipline and good judgment. It is a responsibility that should be neither given nor taken lightly, nor is it a right based on employment by an Eclipse Member company or any company employing existing committers.

After a successful election process (existing committers voting for and not against the candidate) the Scout developer effectively becomes a Scout committer. With this new status, the Scout developer then gets write access to the Eclipse Scout repositories and gains voting rights and the possibility to shape the future of Scout.

1.2. Why Scout?

Most large organizations develop and maintain enterprise applications that have a direct impact on the success of the ongoing business. And at the same time, those responsible for the development and maintenance of these applications struggle with this task. It is a big challenge to adapt to changing business demands and complying with the latest legal requirements in time. And the increasing pressure to lower recurring maintenance costs does not make the situation any easier.

It often seems that too many resources are required to keep a heterogeneous set of legacy technologies alive. In this situation, modernizing mission critical applications can help to improve over the current situation. For the target platform stack, Java is a natural choice as it is mature, widely adopted by in the industries and unlikely to become legacy in the foreseeable future. While for the back-end side of enterprise applications well-known and proven frameworks do exist, the situation on the client side is less clear. Unfortunately, user interface (UI) technologies often have lifetimes that are substantially shorter than the lifetimes of larger mission critical applications. This is particularly true for the web, where many of today's frameworks will no longer be relevant in five or more years.

Enter Eclipse Scout. This open source framework covers most of the recurring needs that are relevant to the front-end development of business applications. And Scout forces a clean separation between the user interface and the specific UI technology used for rendering. This has two major benefits. First, Scout developers implement the user interface against an abstraction layer, which helps to focus on the business functionality and saves development time. And second, long term maintenance costs are lower, as the Scout code remains valid even when the rendering technology needs to be exchanged. Therefore, Scout helps to improve the productivity of the development teams and reduces the risk of major application rewrites.

To provide a first impression on the scope and goals of the Scout framework, a number of scenarios where Scout typically contributes to your projects success are listed below .

- You are looking for a reasonable client side framework for your business application.

- You need an application that works on the desktop, in browsers and on mobiles devices.
- You don't have the time to evaluate and learn a new UI technology.
- You need a working prototype application by the end of the week.
- Your application's expected lifespan is 10 years or more.

That Scout should help in the last two situations mentioned above seems to be contradictory at first but is just based on a simple principle. Where possible, the Scout framework provides abstractions for areas/topics. [4: Example areas/topics that are abstracted by the Scout framework are user interface (UI) technologies, databases, client-server communication or logging.] that need to be implemented for business applications again and again. And for each of these abstractions Scout provides a default implementation out of the box. Typically, the default implementation of such an abstraction integrates a framework or technology that is commonly used.

When needing a working prototype application by the end of the week, the developer just needs to care about the desired functionality. The necessary default implementations are then automatically included by the Scout tooling into the Scout project setup. The provided Scout SDK tooling also helps to get started quickly with Scout. It also allows to efficiently implement application components such as user interface components, server services or connections to databases.

In the case of applications with long lifespans, the abstractions provided by Scout help the developer to stay productive and concentrate on the actual business functionality. At the same time, this keeps the code base as independent of specific technologies and frameworks as possible. This is a big advantage when individual technologies incorporated in the application reach their end of life. As all the implemented business functionality is written against abstractions only, no big rewrite of the application is necessary. Instead, it is sufficient to exchange the implementation for the legacy technology with a new one. And often, an implementation for a new technology/framework is already provided by a more recent version of Scout.

1.3. What should I read?

The text below provides guidelines on what to read (or what to skip) depending on your existing background. We first address the needs of junior Java developers that like to learn more about developing enterprise applications. Then, we suggest a list of sections relevant for software wizards that already have a solid understanding of the Eclipse platform, Java enterprise technologies, and real world applications. Finally, the information needs of IT managers are considered.

1.3.1. I know Java

The good news first. This book is written for you! For the purpose of this book we do not assume that you have a solid understanding of the Java Enterprise Edition (Java EE) is required. [5: Java Enterprise Edition: http://en.wikipedia.org/wiki/Java_Platform,_Enterprise_Edition] . However, having prior experience in client server programming with Java will be useful occasionally and having used the Eclipse IDE for Java development before is certainly a plus.

The “bad” news is, that writing Scout applications requires a solid understanding of Java. To properly benefit from this book, we assume that you have been developing software for a year or more. And you should have mastered the Java Standard Edition (Java SE). [6: Java Standard Edition:

http://en.wikipedia.org/wiki/Java_SE] to a significant extent. To be more explicit, you are expected to be comfortable with all material required for the Java Programmer Level I Exam. [7: Level I Exam: <docs.oracle.com/javase/tutorial/extra/certification/javase-7-programmer1.html>] and most of the material required for Level II. [8: Level II Exam: <docs.oracle.com/javase/tutorial/extra/certification/javase-7-programmer2.html>].

We now propose to start downloading and installing Scout as described in Appendix [Scout Installation](#) and do some actual coding. To do so, please continue with the “Hello World” example provided in Chapter [“Hello World” Tutorial](#). You can expect to complete this example in less than one hour including the necessary download and installation steps. Afterwards, you might want to continue with the remaining material in “Getting Started”. Working through the complete book should take no more than two days.

Once you work with the Scout framework on a regular basis, you might want to ask questions in the Scout forum. [9: Eclipse Scout forum: <http://www.eclipse.org/forums/eclipse.scout>]. When your question gets answered, please ask yourself if your initial problem could have been solved by better documentation. In that case, you might want to help the Scout community by fixing or amending the Scout wiki pages. [10: Eclipse Scout wiki: <http://wiki.eclipse.org/Scout>]. Or this book. If you find a bug in Eclipse Scout that makes your life miserable you can report it or even propose a patch. And when your bug is fixed, you can test the fix. All of these actions will add to the healthy grow of the Scout community.

1.3.2. I am a manager

Being a manager and actually reading this book may indicate one of the following situations:

- Your developer tried to convince you that Eclipse Scout can help you with implementing business applications in a shorter time and for less money. And you did not understand why (again) a new technology should work better than the ones you already use.
- Your are a product manager of a valuable product that is based on legacy technology. And you are now evaluating options to modernize your product.
- Think about your current situation. There must be a reason why you are checking out this book.

To learn about Scout and about its benefits first go through Section [What is Scout?](#) and Section [Why Scout?](#). Then, flip through Section [The “Contacts” Application](#) to get an impression of the “My Contacts” application. In case you like the idea that your developers should be able to build such an application in a single day, you might want to talk to us. [11: To contact the Scout team, use the feedback provided on the Scout homepage: <https://eclipse.org/scout>.].

Chapter 2. “Hello World” Tutorial

The “Hello World” chapter walks you through the creation of an Eclipse Scout client server application. When the user starts the client part of this application, the client connects to the server. [12: The Scout server part of the “Hello World” application will be running on a web server.] and asks for some text content that is to be displayed to the user. Next, the server retrieves the desired information and sends it back to the client. The client then copies the content obtained from the server into a text field widget. Finally, the client displays the message obtained from the server in a text field widget.

The goal of this chapter is to provide a first impression of working with the Scout framework using the Scout SDK. We will start by building the application from scratch and then we’ll deploy the complete application to a Tomcat web server.

Based on this simple “Hello World” applications a large number of Scout concepts can be illustrated. Rather than including such background material in this tutorial, this information is provided separately in Chapter “[Hello World](#)” Background. This tutorial is also available in the Scout wiki. [13: “Hello World” wiki tutorial: <http://wiki.eclipse.org/Scout/Tutorial/4.0/HelloWorld>].

2.1. Installation and Setup

Before you can start with the “Hello World” example you need to have a complete and working Scout installation. For this, see the step-by-step installation guide provided in Appendix [Scout Installation](#). Once you have everything installed, you are ready to create your first Scout project.

2.2. Create a new Project

Start your Eclipse IDE and select an empty directory for your workspace as shown in [Figure Start the Eclipse IDE with a new project folder](#). This workspace directory will then hold all the project code for the `Hello World` application. Once the Eclipse IDE is running it will show the Java perspective.




Figure 6. Select a new empty folder to hold your project workspace

To create a new Scout project select the menu **File | New | Project...** and type “Scout Project” in the wizard search field. Select the Scout Project wizard and press **[Next]**. The *New Scout Project* wizard is then started as shown in [Figure New Scout Project Wizard](#).




Figure 7. The new Scout project wizard.

In the *New Scout Project* wizard you have to enter a **group id**, **artifact id** and a **display name** for your Scout project. As the created project will make use of [Apache Maven](#) please refer to the [Maven naming conventions](#) to choose **group id** and **artifact id** for your project. The **artifact id** will then also be the project name in the Eclipse workspace. The **display name** is used as the application name presented to the user (e.g. in the Browser title bar).

For the **Hello World** application just use the already prefilled values as shown in [Figure New Scout Project Wizard](#). Then, click the **[Finish]** button to let the Scout SDK create the initial project code for you.

Depending on your Eclipse installation some **Maven plugin connectors** may be missing initially. In that case a dialog as shown in [Figure Maven plugin connector installation dialog](#) may be shown. To continue click on **[Finish]** to resolve the selected connectors. Afterwards confirm the installation, accept the license and the message that some content has not been signed. Finally, the installation of the maven plugin connectors requires a restart of the Eclipse IDE.




Figure 8. The Maven plugin connector installation dialog.

After the *New Scout Project* wizard has created the initial Maven modules for the **Hello World** application these modules are compiled and built by the Eclipse IDE. In case of a successful Eclipse Scout installation your Eclipse IDE should display all created Maven modules in the Package Explorer and have an empty Problems view as shown in [Figure The Hello World Maven Modules](#).




Figure 9. The initial set of Maven modules created for the Hello World application.

2.3. Run the Initial Application

After the initial project creation step we can start the Scout application for the first time. For this, the following three steps are necessary

1. Start the Scout backend server
2. Start the Scout frontend server
3. Open the application in the browser

To start the Scout backend server we first select the `[webapp] dev server.launch` file in the Package Explorer view of the Eclipse IDE and then use the *Run As* menu as shown in [Figure Starting the Hello World application](#).




Figure 10. Starting the Hello World application.

Starting the Scout frontend server works exactly the same. But first select the `[webapp] dev ui.launch` file in the Eclipse IDE. This launch file is located under module `helloworld.ui.html.app.dev` in the Package Explorer.

During startup of the Scout applications you should see console output providing information about the startup. After having successfully started the Scout backend and frontend servers the Hello World application can then be accessed by navigating to <http://localhost:8082/> in your favorite web browser.

The running Hello World application should then be started in your browser as shown in [Figure The Hello World application](#).




Figure 11. The Hello World application in the browser.

2.4. Exporting the Application

2.4.1. Verify Target Container Security Settings

First you need to know if you would like to use https for your application (which is hardly recommended for a productive environment). If yes and your servlet container (e.g. Tomcat) is already configured to use https you are already done and you can skip this chapter.

If you would like to use https with Tomcat but have not yet setup your installation accordingly, please refer to the [Tomcat Documentation](#) to enable SSL/TLS.

Otherwise if the application should be used without encrypted channel, we first have to disable the secure flag for the session cookie. More on this topic can be found in the Scout Documentation.

- For this we have to add the property `scout.auth.cookie.session.validate.secure=false` to the file `helloworld.ui.html.app.war\src\main\resources\config.properties`. This disables the security check that the flag is active. We don't need this check because we don't use this flag.
- Then we actually need to remove the flag. For this we delete the tag `<secure>true</secure>` in the `helloworld.ui.html.app.war\src\main\webapp\WEB-INF\web.xml` file.

2.4.2. Create WAR Files

We are now ready to move the `Hello World` application from our development environment to a productive setup. The simplest option to move our application into the 'wild' is to build it using Maven. This produces two WAR files [14: Web application ARchive (WAR): http://en.wikipedia.org/wiki/WAR_file_format_%28Sun%29].

The first WAR file contains the Scout server with all business logic. The second WAR file contains the user interface for desktop and mobile devices.

To start the build right click on the project `helloworld` and select the context menu **Run As** → **Maven build...** as shown in [Figure Maven build](#). In the dialog that appears enter `clean verify` into the `Goals` field and press [**Run**].




Figure 12. Starting the Maven build.

Afterwards the compilation starts, executes all test cases and bundles the result into two WAR files. The output of the build is shown in the Console view within Eclipse. As soon as the build is reporting success you can find the built war files:

- workspace_root/helloworld.server.app.war/target/org.eclipse.scout.apps.helloworld.server.war
- workspace_root/helloworld.ui.html.app.war/target/org.eclipse.scout.apps.helloworld.ui.html.war

To see the new files within Eclipse you may need to refresh the `target` folder below each project using the F5 keystroke.

2.5. Deploying to Tomcat

As the final step of this tutorial, we deploy the two WAR files representing our “Hello World” application to a Tomcat web server. For this, we first need a working Tomcat installation. If you do not yet have such an installation you may want to read and follow the instructions provided in Appendix [Apache Tomcat Installation](#). To verify a running Tomcat instance, type <http://localhost:8080/> into the address bar of the web browser of your choice. You should then see the page shown in [Tomcat start page](#).




Figure 13. The Tomcat shown after a successful installation. After clicking on the “Manager App” button (highlighted in red) the login box is shown in front. A successful login shows the “Tomcat Web Application Manager”.

Once the web browser displays the successful running of your Tomcat instance, switch to its “Manager App” by clicking on the button highlighted in [Tomcat start page](#). After entering user name and password the browser will display the “Tomcat Web Application Manager” as shown in [Tomcat Manager](#). If you don’t know the correct username or password you may look it up in the file `tomcat-users.xml` as described in Appendix [Directories and Files](#).




Figure 14. The “Tomcat Web Application Manager”. The WAR files to be deployed can then be selected using button “Choose File” highlighted in red.

After logging into Tomcat’s manager application, you can select the WAR files to be deployed using button “Choose File” according to the right hand side of [Tomcat Manager](#). After picking your just built `org.eclipse.scout.apps.helloworld.server.war` and closing the file chooser, click on button “Deploy” (located below button “Choose File”) to deploy the application to the Tomcat web server. Then we repeat this step with the second WAR file `org.eclipse.scout.apps.helloworld.ui.html.war`.

This will copy the selected WAR files into Tomcats webapps directory and unpack its contents into subdirectories with the same name. You can now connect to the application using the browser of your choice and enter the following address:

`http://localhost:8080/org.eclipse.scout.apps.helloworld.ui.html/`




Figure 15. The “Hello World” login page.

Then you will see the login page as shown in [Figure Login Page](#). Two users have been pre defined: “admin” with password “admin” and “scott” with password “tiger”. You can find this configuration in the config.properties file of the application.

Please note: In a productive environment it is recommended to deploy the server and the user interface into two different servlet containers (like Tomcat) running on dedicated machines. This because these two tiers have different requirements on resources, load balancing and access protection. Furthermore it is hardly recommended to use an encrypted connection (e.g. TLS 1.2 [15: TLS: https://en.wikipedia.org/wiki/Transport_Layer_Security]) between client browser and html ui server AND between html ui server and backend server!


Chapter 3. “Hello World” Background

The previous “Hello World” tutorial has been designed to cover the creation of a complete client server application in a minimal amount of time. In this chapter, we will take a deeper look at the “Hello World” and provide background information along the way. The goal is to explain many of the used concepts in the context of a concrete Scout application to allow for a well rounded first impression of the Eclipse Scout framework and the tooling provided by the Scout SDK.

The structure of this chapter is closely related to the “Hello World” tutorial. As you will notice, the order of the material presented here exactly follows the previous tutorial and identical section titles are used where applicable. In addition to Chapter [“Hello World” Tutorial](#), we include Section [Walking through the Initial Application](#) to discuss the initial application generated by the Scout SDK.

3.1. Create a new Project

The first thing you need for the creation of a new Scout project is to select a new workspace. For Eclipse, a workspace is a directory where Eclipse can store a set of projects in a single place. As Scout projects typically consist of several Eclipse plugin projects the default (and recommended) setting is to use a single workspace for a single Scout project.






Figure 16. The Eclipse plugin projects of the “Hello World” application shown by the Package Explorer in the Scout SDK on the left hand side. The corresponding view in the Scout Explorer is provided on the right hand side.

In the case of the “Hello World” application, the workspace contains seven plugin projects as shown on the left side of Figure 000. In the expanded source folder of the client plugin *org.eclipse.scout.helloworld.client* the organisation of the Java packages is revealed. The Scout Explorer provided on the right side of Figure 000 shows three colored top level nodes below the main project *org.eclipse.scout.helloworld*.

In the Scout Explorer, the main project node expands to the orange client node *org.eclipse.scout.helloworld.client*, the green shared node *org.eclipse.scout.helloworld.client* and the blue server node *org.eclipse.scout.helloworld.server*. The client node first presents the white user interface (UI) nodes *org.eclipse.scout.helloworld.client.ui.** indicating the supported UI technologies. Next, the client mobile node *org.eclipse.scout.helloworld.client.mobile* is shown. It is responsible for adapting the layout of the user interface suitably for mobile and tablet devices. Finally, after the *ClientSession* node and the *Desktop* node, component specific folders allow for a simple navigation to the various client parts.

Comparing the Package Explorer with the Scout Explorer a couple of aspects are notable. First, the number and names of the Eclipse plugin projects is identical in both the Package Explorer and the Scout Explorer view. However, the Scout Explorer recognizes the Scout project structure and explicitly renders the relation between the different Eclipse plugins. In addition, individual node colors are used to indicate the role of each plugin project. Second, the focus of the Scout Explorer lies on the business functionality of the complete client server application. Artefacts only necessary to the underlying Eclipse platform are not even accessible. Third, on the individual elements rendered in the Scout Explorer, the Scout SDK provides menus to start wizards useful to the selected context. In the case of the “Hello World” tutorial we could create the complete application

(except for a single line of Java code) using these wizards .

When we revisit the *New Scout Project* wizard in [Figure New Scout Project Wizard](#), it now becomes trivial to explain how the *Project Name* field `org.eclipse.scout.helloworld` was used as the common prefix for plugin project names and Java package names. Based on the project name, the last part `helloworld` was used for the *Project Alias* field. As we have seen in Section [Exporting the Application](#), this project alias is used by the Scout SDK to build the base names of the WAR files in the export step. In turn, after deploying the WAR files as described in Section [Deploying to Tomcat](#), the RAP server application becomes available under the URL `http://localhost:8080/helloworld`. Should you have a catchy naming for you application in mind, `com.mycompany.mycatchyname` is therefore a good choice for the *Project Name* field.

3.2. Walking through the Initial Application

In this section, we will walk you through the central Scout application model components of the “Hello World” example. As each of these components is represented by a Java class in the Scout framework, we can explain the basic concept using the available “Hello World” source code. Below, we will introduce the following Scout components.

- Desktop
- Form
- Form handler
- Service
- MainBox
- Form data
- Form field

Please note that most of the Java code was initially generated by Scout SDK. In many cases this code can be used “as is” and does not need to be changed. Depending on your requirements, it might very well be that you want to adapt the provided code to fit your specific needs. However, a basic understanding of the most important Scout components should help you to better understand the structure and working of Scout applications.

3.2.1. Desktop

The desktop is the central container of all visible elements of the Scout client application. It inherits from Scout class `AbstractDesktop` and represents the empty application frame with attached elements, such as the applications menu tree. In the “Hello World” application, it is the Desktop that is first opened when the user starts the client application.

To find the desktop class in the Scout Explorer, we first navigate to the orange *client* node and double click the *Desktop* node just below. This will open the associated Java file `Desktop.java` in the editor view of the Scout SDK. Of interest is the overwritten callback method `execOpened` shown in [Listing Desktop](#).

Listing 1. The configuration of the server's resource servlet in the plugin.xml configuration file. The remaining content of the file has been omitted.

```
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.client/src/org
/eclipse/scout/helloworld/client/ui/desktop/Desktop.java[lines=32..41]
```

Method `execOpened` is called by the Scout framework after the desktop frame becomes visible. The only thing that happens here is the creation of a `desktopForm` object, that gets assigned an icon before it is started via method `startView`. This desktop form object holds the `Message` field text widget that is displayed to the user. [16: In the Scout application Desktop model we can only add UI fields to Scout form elements, not directly to the desktop.]. More information regarding form elements are provided in the next section.

3.2.2. Form

Scout forms are UI containers that hold form field widgets. A Scout form always inherits from Scout class `AbstractForm` and can either be displayed as a dialog in its own window or shown as a view inside of another UI container. In the “Hello World” application a `DesktopForm` object is created and displayed as a view inside of the desktop element.

To find the desktop form class in the Scout Explorer, expand the orange *client* node. [17: To expand elements (nodes, folders, etc.) in the Scout Explorer, use a double click on the element or a single click on the plus icon in front of the element.]. Below this node, you will find the *Forms* folder. Expand this folder to show the *DesktopForm* as shown in Figure 000. In the Scout Object Property window in the screenshot, we can also see the *Display Hint* property. Its value is set to ‘View’ to display the desktop form as a view and not as a dialog in its own frame.




Figure 17. Scout SDK showing the *DesktopForm*'s *ViewHandler* in the Scout Explorer and the properties of the *DesktopForm* in the Scout Object Properties.

Expand the *DesktopForm* to show its children: *Variables*, *MainBox* and *Handlers*. The *Variables* sub folder contains variables. They are invisible to the application user. The “Hello World” application is so simple, it does not need variables. The sub folder *MainBox* contains form fields. These are the

visible user interface elements. The main box of our DesktopForm holds the DesktopBox containing the MessageField added with the *New Form Field* wizard. Finally, the *Handlers* sub folder contains all available form handlers. The view handler shown in [Figure 000](#) has been added in the initial project creation step.

3.2.3. Form Handler

Form handlers are used to manage the form's life cycle. Scout form handlers inherit from AbstractFormHandler and allow the implementation of desired behaviour before a form is opened, or after it is closed. This is achieved by overwriting callback methods defined in AbstractFormHandler. The necessary wiring is provided by the Scout framework, either by the initial project creation step or when using one of the provided Scout SDK wizards.

Listing 2. Class DesktopForm with its view handler and startView method. Other inner classes and methods are omitted here.

```
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.client/src/org
/eclipse/scout/helloworld/client/ui/forms/DesktopForm.java[lines=19..20]
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.client/src/org
/eclipse/scout/helloworld/client/ui/forms/DesktopForm.java[lines=86..103]
```

In the “Hello World” application, it is the overwritten execLoad method in the ViewHandler that defines what will happen before the desktop form is shown to the user. The corresponding source code is provided in [Listing ViewHandler in DesktopForm](#). It is this execLoad method where most of the behaviour relevant to the “Hello World” application is implemented. Roughly, this implementation is performing the following steps.

1. Get a reference to the forms server service running on the server.
2. Create a data transfer object (DTO). [18: Data Transfer Object (DTO): http://en.wikipedia.org/wiki/Data_transfer_object.]
3. Pass the empty DTO to the load service method (ask the server for some data).
4. Update the DTO with the content provided by the service load method.
5. Copy the updated information from the DTO into the desired form field.

To open the ViewHandler class in the Java editor of the Scout SDK, double click on the *ViewHandler* in the Scout Explorer. Your Scout SDK should then be in a state similar to [Figure 000](#). In the lower part of [Listing ViewHandler in DesktopForm](#) we can see the wiring between the desktop form and the view handler in method startView. Further up, we find method execLoad of the view handler class.

Before we discuss this method's implementation, let us examine when and how execLoad is actually called. As we have seen in the Desktop class (see [Listing Desktop](#)), the form's method startView is executed after the desktop form is created. Inside method startView (see [Listing ViewHandler in DesktopForm](#)), the desktop form is started/opened using startInternal. In method startInternal a view handler is then created and passed as a parameter. This eventually leads to the call of our execLoad custom implementation.

We are now ready to dive into the implementation of method `execLoad` of the desktop form's view handler. First, a reference to a form service identified by `IDesktopService` is obtained using `SERVICES.getService`. Then, a form data object (the DTO) is created and all current form field values are exported into the form data via method `exportFormData`. Strictly speaking, the `exportFormData` is not necessary for the use case of the “Hello World” application. But, as this is generated code, there is no benefit when we manually delete the `exportFormData` command. Next, using the load service method highlighted in [Listing ViewHandler in DesktopForm](#), new form field values are obtained from the server and assigned to the form data object. Finally, these new values are imported from the form data into the form via the `importFormData` method. Once the desktop form is ready, showing it to the user is handled by the framework.

To add some background to the implementation of the `execLoad` above, the next section introduces services and form data objects.

3.2.4. Form Services and Form Data Objects

Form services and form data objects are used in the Scout framework to exchange information between the Scout client and server applications. When needed, a service implemented on the server side can register a corresponding proxy service on the client. This proxy service is invoked by the client as if it were implemented locally. In fact, when we get a service reference using `SERVICES.getService`, we do not need to know if this service runs locally on the client or remotely on the server.

In the “Hello World” example application, the client's desktop form has an associated desktop service running on the server. This correspondence between forms and form services is also reflected in the *Links* section of the Scout Object Properties of the desktop form. As shown in [Figure 000](#), links are provided not only for the desktop form, but for its desktop form data, the corresponding desktop form service as well as for the service interface `IDesktopService`. On the client, this interface is used to identify and register the proxy service for the desktop service.

To transfer data between the client and the server, the “Hello World” application uses a `DesktopFormData` object as a DTO. This form data object holds all form variables and values for all the form fields contained in the form. Taking advantage of this correspondence, the Scout framework provides the convenience methods `exportFormData` and `importFormData`. As a result, the developer does not need to deal with any mapping code between the form data object and the form fields.

The actual implementation of the desktop form service in class `DesktopService` is implemented on the server side. As the class `DesktopService` represents an ordinary Scout service it inherits from `AbstractService`. It also implements its corresponding `IDesktopService` interface used for registering both the actual service as well as the proxy service.

3.3. Run the Initial Application

3.3.1. The Launcher Boxes

To run a Scout application the Scout SDK provides launcher boxes in the Scout Object Properties as described in Section [Run the Initial Application](#). These object properties are associated to the top

level project node in the Scout Explorer. Using the *Edit* icon provided in the product launcher section of the Scout Object Properties, the list of launcher boxes can be specified as shown in [Figure 000](#).






Figure 18. Using the *Edit Content...* icon shown on the left hand side, the product selection dialog

shown on the right side is opened. Using this product selection dialog, the list of launcher boxes can be specified.

3.3.2. Eclipse Product Files

The available products shown on the right side of [Figure 000](#) represent the Eclipse product files created in the initial project creation step. Product files. [19: Read the following article for an introduction to Eclipse product files: <http://www.vogella.com/articles/EclipseProductDeployment/article.html>.] are used in Eclipse to specify the configuration and content of an executable application. In the case of the “Hello World” project, four executable applications --- with two Eclipse product files for each application --- have been defined by the Scout SDK. The four applications, one for the server application and one for each client technology, have already been discussed in Section [Run the Initial Application](#).






Figure 19. The production and development launcher boxes associated with the “Hello World” server application are shown on the left side. In the Package Explorer shown on the right side, the production and development products are located under the products folder in the server plugin project.

We assume that Scout applications will be run in at least two different environments. Once from within the Eclipse IDE in the development environment, and once by the actual end users outside the Eclipse IDE. This second environment is named production environment. Depending on the complexity of deployment processes there might be some more environments to consider, such as testing and integration environments. This is the reason that the Scout SDK initially creates two product files that are associated with the development and the production environment.

Even in the case of the simple “Hello World” example, the Scout application is started in two target environments. The development environment defines the product in the context of the Scout SDK. To export and run the Scout application outside of the Scout SDK, the production product files are used to define the application when it is to be started on a Tomcat web server. Figure 000 illustrates this situation for the “Hello World” server application. On the left side, the blue server node is selected in the Scout Explorer. This opens the two server launcher boxes for the production and the development environment. On the right side of Figure 000, the corresponding plugin project *org.eclipse.scout.helloworld.server* is expanded to show the file based organisation of the two product definitions.




Figure 20. The Eclipse product file editor showing file `helloworld-server-dev.product` of the “Hello World” application. In the Dependencies tab shown above, the list of Eclipse plugins that are required for the server application are shown.

For the case of the “Hello World” example we did not need to edit or change the product files generated by the Scout SDK. However, if your requirements are not met by the provided product files, you may use the Eclipse product file editor. A screenshot of this editor is shown in [Figure 000](#) with the tab *Dependencies* opened. In the tab *Dependencies*, the complete list of necessary plugins is provided. Example plugins visible in [Figure 000](#) include the “Hello World” server and shared plugins, Scout framework plugins, and Jetty plugins. The Jetty. [20: Jetty is web server with a small footprint: [http://www.eclipse.org/jetty/.](http://www.eclipse.org/jetty/)] plugins are only needed to run the “Hello World” server application inside the Scout SDK. Consequently, Jetty plugins are not listed as a dependency in the Scout server’s production product file.

3.3.3. Eclipse Configuration Files




Figure 21. Above, the definition of the products `config.ini` in tab `Configuration` of the product file editor. Below, the content of the configuration file of the “Hello World” server application is provided in a normal text editor.

Switching to tab `Configuration` in the product file editor, shows the selected radio button *Use an existing config.ini file* and the link to the configuration file provided in the *File* field as shown in the upper part of Figure 000. Below, a part of the server’s `config.ini` file is shown. Both the entry in the product file pointing to the configuration file, and the content of the `config.ini` file has been generated by the Scout SDK during the initial project creation step. As shown in the lower part of Figure 000, Eclipse configuration files have the format of a standard property file. The provided key value pairs are read at startup time if the `config.ini` file can be found in folder `configuration` by the Eclipse runtime.

3.3.4. Scout Desktop Client Applications

Having introduced Eclipse product files and configuration files based on the “Hello World” server application, we will now look at the different client applications in turn. With Swing applications. [21: Swing is the primary Java UI technology: http://en.wikipedia.org/wiki/Swing_%28Java%29.] and SWT applications. [22: Standard Widget Toolkit (SWT): http://en.wikipedia.org/wiki/Standard_Widget_Toolkit.], two alternative UI technologies are

currently available to build Scout desktop client applications. More recently, JavaFX. [23: JavaFX is the most recent Java UI technology: <http://en.wikipedia.org/wiki/JavaFX>.] is promoted as a successor to Swing and it is therefore likely, that Scout will provide JavaFX client applications in the future.

When we compare the product files for the Swing and the SWT client applications, it is apparent that both client applications share a large number of plugins. Most importantly, the complete UI model and the business logic is identical for both client applications. In other words, the value created by the Scout developer is contained in the two plugins *org.eclipse.scout.helloworld.client* and *org.eclipse.scout.helloworld.shared*. To create an executable client application, we only need to combine these two plugins with a set of plugins specific to the desired UI technology.

After starting the “Hello World” Swing client or the corresponding SWT client application, the client application first reads the startup parameters from its config.ini file. Among other things, this client configuration file contains the parameter `server.url` to specify the URL to the “Hello World” server. After the startup of the “Hello World” client application, it can then connect to the “Hello World” server application using this address.

3.3.5. Scout Web, Tablet and Mobile Clients

For Scout web, tablet and mobile clients, the Eclipse RAP framework. [24: Remote Application Platform (RAP): <http://www.eclipse.org/rap/>.] is used. The RAP framework provides an API that is almost identical to the one provided by SWT and allows to use Java for server-side Ajax. [25: Asynchronous JavaScript and XML (AJAX): http://en.wikipedia.org/wiki/Ajax_%28programming%29.]. This setup implies that Scout tablet and mobile clients are not native clients but browser based. [26: To provide native clients with Scout, the simplest (commercial) option is most likely Tabris: <http://developer.eclipsesource.com/tabris/>.]

Comparing the product file of the SWT client applications with the RAP application, we observe that the RAP development product does not include any SWT plugins, but a set of RAP and Jetty plugins. In addition, the RAP product also contains the Scout mobile client plugins *org.eclipse.scout.rt.client.mobile* and *org.eclipse.scout.helloworld.client.mobile*. These two plugins are responsible for transforming the UI model defined in the “Hello World” client plugin to the different form factors of tablet computers and mobile phones.

If you start the “Hello World” RAP application in your Scout SDK, you are launching a second server application in a Jetty instance on a different port than the “Hello World” server application. As in the case of the desktop client applications, the RAP or Ajax server application knows how to connect to the “Hello World” server application after reading the parameter `server.url` from its config.ini file.

3.4. The User Interface Part

Using the UI of the “Hello World” application we explain in this section how the Scout UI form model is represented in Java. We also describe how this representation is exploited by the Scout SDK to automatically manage the form data objects used for data transfer between Scout client and Scout server applications. Finally, will have a brief look at internationalization. [27: Internationalization and localization, also called NLS support: http://en.wikipedia.org/wiki/Internationalization_and_localization.] support of Scout for texts.

Listing 3. The DesktopForm with its inner class MainBox containing the desktop box and message field

```
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.client/src/org
/eclipse/scout/helloworld/client/ui/forms/DesktopForm.java[lines=18..20]
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.client/src/org
/eclipse/scout/helloworld/client/ui/forms/DesktopForm.java[lines=69..84]
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.client/src/org
/eclipse/scout/helloworld/client/ui/forms/DesktopForm.java[lines=102..103]
```

As discussed in Section [Form](#) Scout forms consist of variables, the main box and a number of form handlers. The main box represents the visible part of Scout's form model. It may holds any number of form fields. Using container fields such as group boxes, it is possible to define complex structures such as hierarchical UI models containing multiple levels. In the Scout framework the forms structure is represented in the form of inner classes that are located inside of the MainBox class. And the *New Form Field* wizard of the Scout SDK fully supports this pattern. [Listing MainBox](#) provides the concrete example using the the desktop form of the "Hello World" tutorial.

Using inner Java classes to model a form's content is a central aspect of the UI part of the Scout application model. It allows the Scout SDK to easily parse the form's Java code on the fly and directly reflect changes to the form model in the Scout Explorer and the Scout Property View. However, this is not the only benefit for the Scout SDK. As form data objects hold all form variables and the values of all form fields contained in the form, the Scout SDK can keep the form data classes in sync with the forms of the application. It is important to note that this mechanism only depends on the Java code of the form field class. In consequence, the Scout SDK can update form field classes in the background even when form fields are manually coded into the form's Java class. This includes adding all the necessary getter and setter methods to access the values of all the fields defined on a form. As a result, Scout developers don't need to manually update form data objects when the UI model of a form is changed. The Scout SDK takes care of this time consuming and error prone task.

Listing 4. The HelloWorldTextProviderService class. Its getter method provides the path and the base name for the text property files

```
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.shared/src/org
/eclipse/scout/helloworld/shared/services/common/text/HelloWorldTextProviderService.ja
va[lines=5..10]
```





Figure 22. The NLS editor provided by the Scout SDK. This editor is opened via the Open NLS Editor ... link in the Scout Object Properties of the HelloWorldTextProviderService node.

When we did add the *Message* field to the desktop form of the “Hello World” application we had to enter a new translation entry for the label of the message field as shown in [img-helloworld_stringfield]. The individual translation entries are then stored in language specific text property files. To modify translated texts we can use the NLS editor. [28: See Section [The NLS Editor](#) for a detailed description of the NLS editor.] provided by the Scout SDK as shown in Figure 000.

To access the translated label field entry in the application, the Scout SDK generated the implementation of `getConfiguredLabel` using `TEXTS.get("Message")` as shown in [Listing MainBox](#). In the default Scout project setup, calling `TEXTS.get` uses the `DefaultTextProviderService` in the background. This text provider service then defines the access path for the text property files to use for the translation. To resolve the provided key, the user’s locale settings are used to access the correct text property file.

3.5. The Server Part

In this background section we take a closer look at Scout services and calling service methods remotely. We will first discuss the setup of an ordinary Scout service. Then, the additional components to call service methods remotely are considered. To explain the concepts in a concrete context, we use the setup of the `DesktopService` of our “Hello World” example.

3.5.1. Scout Services

Scout services are OSGi services. [29: A good introduction to OSGi services is provided by Lars Vogel’s tutorial: <http://www.vogella.com/articles/OSGiServices/article.html>.] which in turn are defined by standard Java classes or interfaces. Scout is just adding a convenience layer to cover

typical requirements in the context of client server applications. To support Scout developers as much as possible, the Scout SDK offers wizards that generate the necessary classes and interfaces and also take care of service registration.

Listing 5. The server service class DesktopService.

```
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.server/src/org
/eclipse/scout/helloworld/server/services/DesktopService.java[lines=8..15]
```

All Scout services need to extend Scout's AbstractService class and implement their own corresponding interface. This also applies to the "Hello World" desktop service according to [Listing DesktopService](#). As shown in [\[img-helloworld_load_servicemethod\]](#), this service can be located in the Scout Explorer under the blue server node in the Services folder.

Before Scout services can be accessed and used, they need to be explicitly registered as a service in the correct place. For this registration mechanism, Scout is using Eclipse extension points and extensions. [30: A good introduction to Eclipse extensions and extension points is provided in the Eclipse wiki: http://wiki.eclipse.org/FAQ_What_are_extensions_and_extension_points%3F.] which are conceptually similar to electrical outlets and plugs. And in order to work, as in the case of outlets and plugs, the plug must fit to the outlet. In our "Hello World" example, the extension (plug) is represented by class DesktopService and the service extension point (outlet) is named org.eclipse.scout.service.services. What makes the desktop service fit to the service extension point is the fact that its interface IDesktopService extends Scout's IService interface.




Figure 23. The Eclipse plugin editor for plugin.xml files. In the tab Extensions the "Hello World" desktop service is registered under the extension point org.eclipse.scout.service.services.

Listing 6. The registration of the DesktopService in the server’s plugin.xml configuration file. The remaining content of the file has been omitted.

```
TODO include was
{codedir}/helloworld/org.eclipse.scout.helloworld.server/plugin.xml[lines=1..6]
TODO include was
{codedir}/helloworld/org.eclipse.scout.helloworld.server/plugin.xml[lines=22..27]
TODO include was
{codedir}/helloworld/org.eclipse.scout.helloworld.server/plugin.xml[lines=105..106]
```

The registration of the desktop service under the service extension point is then defined in the plugin.xml file of the “Hello World” server plugin. As shown in [Figure 000](#), the plugin.xml file is located in the root path of plugin org.eclipse.scout.helloworld.server. To modify a plugin.xml, you can either use the Eclipse plugin editor or your favorite text editor. In [Figure 000](#), the registration of the desktop service is shown in the *Extensions* tab of the plugin editor. For the corresponding XML representation in the plugin.xml file, see [Listing server plugin.xml](#).

3.5.2. Scout Proxy Services

In the “Hello World” application the load method of the desktop service is called remotely from the client. But so far, we have only seen how the desktop service is implemented and registered in the server application. To call server service methods remotely from Scout client applications, the Scout framework provides client proxy services and the service tunnel. As the name implies, a client proxy service acts as a local proxy service (running in the Scout client application) of a server service (running remotely in the Scout server application).

Listing 7. The registration of the IDesktopService proxy service in the client plugin of the “Hello World” application. This is the complete content of the client’s plugin.xml file.

```
TODO include was {codedir}/helloworld/org.eclipse.scout.helloworld.client/plugin.xml[]
```

Client proxy services are defined by a Java interface located in the shared plugin of the Scout application. As shown in [Listing DesktopService](#) of the desktop service, this service interface is also implemented by the desktop service class in the server plugin. Corresponding to the registration of the desktop service in the server plugin, client proxy services need to be registered in the client’s plugin.xml file. The content of the “Hello World” client plugin configuration file is provided in [Listing client plugin.xml](#). To create proxy services in Scout clients, the ClientProxyServiceFactory is used. This is also reflected in the extension defined in [Listing client plugin.xml](#). Internally, this service factory then uses the service tunnel to create the local proxy services.

To call a remote service method from the Scout client application, we first need to obtain a reference to the proxy service. Using the SERVICES.getService method with the interface IDesktopService, we can obtain such a reference as shown in [Listing ViewHandler in DesktopForm](#) for the view handler of the desktop form. With this reference to the client’s proxy service, calling methods remotely works as if the service would be running locally. Connecting to the server, serializing the method call including parameters (and de serializing the return value) is handled transparently by Scout.

3.6. Add the Rayo Look and Feel

Rayo has been designed in 2009 by BSI for its CRM. [31: Customer Relationship Management (CRM): http://en.wikipedia.org/wiki/Customer_relationship_management] application and contact center solution. Since then, Rayo has been copied for Scout web applications and also adapted to work on touch/mobile devices.

The implementation of Rayo for desktop clients is based on the Java Synth look and feel. [32: Java Synth Look and Feel: http://en.wikipedia.org/wiki/Synth_Look_and_Feel]. However, in a few cases it was necessary to adjust some of the synth classes. In order to do this, the adapted classes are copied from the OpenJDK implementation. [33: OpenJDK is an open source implementation of the Java platform: <http://openjdk.java.net/>.] As OpenJDK is licenced under the GNU General Public Licence (GPL) with a linking exception it is not possible to distribute Rayo under the Eclipse Public Licence. That is why Rayo is not initially contained in the Eclipse Scout package but needs to be downloaded from the Eclipse Marketplace. Fortunately, there is still no restriction to use Rayo in commercial products. The only remaining restriction applies to modifying Rayo for commercial products. In this case you will be obliged to redistribute your modified version of Rayo under the same licence (GPL with classpath exception).

With Eclipse Scout 3.8 (Juno), the Scout framework also allows to build web clients based on Eclipse RAP. Great care has been taken to ensure, that the look and feel for Scout web applications matches the look and feel of the desktop as closely as possible. As RAP is already distributed under the EPL licence the Rayo for web apps is directly contained in the Scout package. TODO: Describe what to change to use RAP default look and feel

A similar approach was chosen for Rayo on tablets and mobile devices that are supported with Eclipse Scout 3.9 (Kepler). For such devices optimized components are used to take into account the smaller screens and the absence of a mouse (no context menus!) But as far as possible, the Rayo look and feel also applies to touch devices. TODO: Pointer to more info regarding mobile devices.

3.7. Exporting the Application

In this background section we look at the content and organisation of the two WAR files generated by the Scout SDK *Export Scout Project* wizard. The first WAR file holds the Scout server including a landing page to download the Scout desktop client. The desktop client is provided in the form of a standalone ZIP file. In the second WAR file, the Ajax server based on Eclipse RAP is contained. This Ajax server provides the URLs that can be accessed by web browsers running on desktop computers or tablet and mobile devices.

```
▲ helloworld_server.war
  ▲ WEB-INF
    ▲ eclipse
      ▶ configuration
      ▶ plugins
      ▶ launch.ini
    ▲ lib
      ▶ org.eclipse.equinox.servletbridge.jar
      ▶ web.xml
```




Figure 24. The organisation of the “Hello World” server WAR file. The right side reveals the location of the `config.ini` file and the application’s plugin files

The content and its organisation of the exported WAR files was not specifically designed for Scout applications. Rather, it is defined according to server-side Equinox. [34: See Appendix [\[apx-osgi_basics\]](#) for more information regarding server-side Equinox.], the typical setup for running Eclipse based server applications on a web server. Using file `helloworld_server.war` as a concrete example, we will first describe the general organisation of the WAR file. Then, we introduce individual artefacts of interest that are contained in this WAR file.

The explicit organisation of the server WAR file is shown in [Figure 000](#). From the left hand side of the figure we can see that on the top level only folder `WEB-INF` exists in the WAR file. This folder contains all files and directories that are private to the web application. Inside, the web deployment descriptor file `web.xml` as well as the directories `lib` and `eclipse` are located. While the `web.xml` file and directory `lib` are standard for servlet based applications. [35: See Appendix [\[apx-javaee_basics\]](#) for more information regarding servlets.], directory `eclipse` contains all necessary artefacts for servlet based Eclipse applications. [36: See Appendix [\[apx-osgi_basics\]](#) for more information regarding server-side Eclipse applications (server-side Equinox).]. Such as Eclipse Scout server applications.

On the right hand side of [Figure 000](#) the eclipse specific content of the WAR file is shown. From top to bottom we find the configuration file `config.ini` introduced in Section [Eclipse Configuration Files](#). In folder `plugins` the necessary plugins that constitute the eclipse application are located where the plugins are available in the form of JAR files. [37: JAR files contain a set of Java classes and associated resources. http://en.wikipedia.org/wiki/JAR_%28file_format%29.]. This includes plugins for servlet management, the eclipse platform including the servlet bridge, the scout framework parts and of course our “Hello World” server and shared plugin. These “Hello World” jar files exactly match with the plugin projects discussed in Section [Create a new Project](#).




Figure 25. The content of the “Hello World” server plugin contained in the `helloworld_server.war` file. The necessary files for the download page including the zipped client application are in the `resources/html` directory.

Listing 8. The configuration of the server’s resource servlet in the `plugin.xml` configuration file. The remaining content of the file has been omitted.

```

TODO include was
{codedir}/helloworld/org.eclipse.scout.helloworld.server/plugin.xml[lines=1..3]
TODO include was
{codedir}/helloworld/org.eclipse.scout.helloworld.server/plugin.xml[lines=28..30]
TODO include was
{codedir}/helloworld/org.eclipse.scout.helloworld.server/plugin.xml[lines=51..62]
TODO include was
{codedir}/helloworld/org.eclipse.scout.helloworld.server/plugin.xml[lines=104..106]

```

In [Figure 000](#) some of the content of the “Hello World” server plugin is shown. The first thing to note is that the plugin file conforms to the JAR file format including a META-INF/MANIFEST.MF file and the directory tree containing the Java class files, as the `DesktopService.class` implemented in [Section \[sec-helloworld.server\]](#) of the “Hello World” tutorial. In folder `resources/html` the necessary files for the download page shown in [Figure Login Page](#) including the zipped desktop client are contained. To access this download page the Scout server’s resource servlet `ResourceServlet` is responsible. It is registered under the servlet registry as shown in [Listing servlet registration](#). With setting `"/` of the `alias` parameter the download page becomes available under the root path of the Scout server application. For the mapping to the contents `resources/html` the parameter `bundle-path` is used.




Figure 26. The “Hello World” server plugin shown in the Eclipse package explorer. The files for the download page are located under resources/html.

Revisiting the “Hello World” server plugin project in the Eclipse package explorer as shown in Figure 000, we can see how the plugin project elements are transformed and copied into the JAR file. Examples files are plugin.xml and MANIFEST.MF as well as static HTML content of the download page (files index.html and scout.gif). The zipped client is missing of course. It is assembled, zipped and added into the Scout server JAR file by the *Export Scout Project* wizard of the Scout SDK. In case you need to change/brand/amend the download page for the desktop client, you have now learned where to add and change the corresponding HTML files.

3.8. Deploying to Tomcat

In this section we will discuss two common pitfalls when working with the Scout IDE and Tomcat. The symptoms linked to these problems are Scout server applications that are not starting or Scout applications that fail to properly update.

In usual culprit behind Scout server applications that fail to start is a blocked port 8080. This setting can be created when we try to run both the Jetty web server inside the Scout SDK and the local Tomcat instance. In consequence, either Jetty or Tomcat is not able to bind to port 8080 at startup which makes it impossible for a client to connect to the right server. To avoid such conflicts, make sure that you always stop the Scout server application in the Scout SDK (effectively killing Jetty) before you restart your Tomcat server. Alternatively, you can assign two different ports to your Jetty webserver and your Tomcat webserver.

To modify Jetty’s port number in the Scout SDK you have to update the corresponding properties in the config.ini files of the development products of your Scout server application and all client applications. In the Scout server’s config.ini file the property is named org.eclipse.equinox.http.jetty.http.port, in the client config.ini files the relevant property is called server.url. To change the port number to 8081 for the “Hello World” example in the Scout SDK you could use the following lines in the individual config.ini files.

Scout Server	org.eclipse.equinox.http.jetty.http.port=8081
--------------	---

Scout Desktop Client	server.url=http://localhost:8081/helloworld_server/process
Scout Ajax Server	server.url=http://localhost:8081/helloworld_server/ajax

The second pitfall is connected to a web application that seems to refuse to update to the content of a freshly generated WAR file. At times it seems that your changes to a deployed WAR file do not find their way to the application actually running. In many cases this is caused by a cached instance of the previous version of your application located in Tomcat's working directory. To save yourself much frustration, it often helps just to clear Tomcat's working directory and restart Tomcat. For this, you may follow the following procedure.

1. Stop the Tomcat web server
2. Go to folder work/Catalina/localhost
3. Verify that you are not in Tomcat's webapps folder
4. Delete all files and directories in folder work/Catalina/localhost
5. Start the Tomcat web server

How you start and stop Tomcat depends on the platform you are running it. If you have installed Tomcat on a Windows box according to Appendix [Apache Tomcat Installation](#) it will be running as a service. This means that to stop the Tomcat web server you need to stop the corresponding Windows service. For starting and stopping Tomcat on Mac/Linux/Unix systems, you can use the command line script files startup.sh and shutdown.sh located in Tomcat's subdirectory bin.

For those interested in more advanced aspects of Apache Tomcat we recommend the article "More about the Cat" by Chua Hock-Chuan. [38: More about the Cat: http://www.ntu.edu.sg/home/ehchua/programming/howto/Tomcat_More.html.].

Chapter 4. Scout Tooling

In addition to the Scout runtime framework presented in the previous chapter Eclipse Scout also includes a comprehensive tooling, the Scout SDK.

Thanks to this tooling, developing Scout applications is made simpler, more productive and also more robust. Initially, a solid understanding of the Java language is sufficient to start developing Scout applications and only a rough understanding of the underlying Maven/JEE technologies is required.

The Scout SDK also helps developers to become more productive. Many repetitive and error prone tasks run automatically in the background or are taken care of by the component wizards of the Scout SDK.

The application code created by the Scout SDK wizards helps to ensure that the resulting Scout application has a consistent and robust code base and is well aligned with the application model defined by the Scout runtime framework.

4.1. The Scout SDK

The Scout SDK is added to the Eclipse IDE in the form of the Scout perspective. [39: See [Appendix \[apx-eclipse_perspective\]](#) for additional information regarding Eclipse IDE perspectives.]. With the Scout Explorer and Scout Objects Properties, two view parts are contained in the Scout perspective. Additionally, the Scout SDK contains a comprehensive set of wizards that support the developer in creating Scout application components.

The Scout Explorer view allows the developer to navigate the Scout application model. Once an element in the Scout Explorer is selected, the Scout Object properties view allows to validate and change properties of the selected element. Depending on the selection in the Scout Explorer, the Scout SDK offers appropriate context menus to start the related wizards.




Figure 27. The Scout SDK perspective. On the left hand side the Scout Explorer and the Scout Object Properties views are visible.

Figure 000 provides a screenshot of the Scout SDK perspective. In the Scout Explorer shown in the upper left part of the screenshot, the message field in the DesktopForm of the “Hello World” application is selected. In the Scout Object Properties located below, the message field’s appearance, layout and behavior properties are displayed. On the right hand side, the corresponding source code is loaded in a Java editor.

When the developer changes a property of the selected element, the Java code is updated accordingly and vice versa. For example clicking the *Mandatory* property in the Scout Object Properties of the message field will insert the method `getConfiguredMandatory` to the message field’s class. This demonstrates how the Scout SDK directly works on the Java source code. In fact, the Java source code is almost the only artifact relevant for the Scout SDK to ‘understand’ the Scout application model. Taking advantage of this setup, the Scout SDK implements a full round-trip-engineering from creating the Java code for Scout application components, parsing code changes in the background, and displaying the current implementation of the Scout application in the Scout Explorer and the Scout Object Properties.

Thanks to the round-trip-engineering provided by the Scout SDK, the information presented in the Scout Explorer and the Scout Object Properties always stay in sync with the Java code of the Scout application. To illustrate this, we will re-use the “Hello World” Scout project from Chapter “[Hello World](#)” Tutorial. Start the Eclipse IDE with the workspace containing the “Hello World” application. Then, navigate to method `getConfiguredLabel` as shown in Figure 000, and add the java snippet

shown below to the class `MessageField`.

```
@Override
protected boolean getConfiguredMandatory() {
    return true;
}
```

After having saved the code change, you can observe that the *Mandatory* property in the section Behavior of the message field's Scout Object properties has changed its state. The font of its label is now presented in bold face and underlined, the checkbox is ticked and a red minus icon is shown on the right side of the property. Obviously, the Scout SDK is directly operating on the project's source code and does not rely or need any external meta data. This provides the flexibility to develop Scout applications with or without the support of the Scout SDK. And this choice offered to the Scout developer is one of the most important features provided by the Scout SDK. The Scout developer may take advantage of the development support provided by the Scout SDK without being restricted by the Scout tooling in any way.

Technically, the Scout SDK is a set of Eclipse plugins that operate on top of the Eclipse JDT and the Eclipse PDE projects. The Java Development Tools (JDT). [40: See the Eclipse JDT project page for details: <http://www.eclipse.org/jdt/>.] contain a Java IDE supporting the development of any Java applications, and the Plugin Development Environment (PDE). [41: See the Eclipse PDE project page for details: <http://www.eclipse.org/pde/>.] provides tools to create, develop, test, debug, build and deploy Eclipse plugins, and additional artifacts relevant for Eclipse based applications. As in the case of the Scout Runtime, the plugins representing the Scout SDK, the JDT and the PDE are all located in the plugins directory of your Eclipse installation and named `org.eclipse.scout.sdk.*`, `org.eclipse.jdt.*` and `org.eclipse.pde.*`.

4.2. The Scout Explorer

The Scout Explorer view is responsible for the navigation support within the Scout application model. This navigation support is presented in the form of a tree view and includes the client with its UI components, the server and the shared part of a Scout application. It also includes all Scout application modules of modular Scout applications. [42: See Section [\[sec-multi_module_apps\]](#) for more information regarding multi module Scout applications.]. For the actual navigation in the tree representing the Scout application both the mouse or the keyboard can be used.

To expand or collapse a selected node in the Scout Explorer, you may click on the tiny *plus* icon or the *minus* icon presented to the left of the node. Alternatively, you can also use the **Right** or the **Left** cursor keys.

Once a node in the tree is selected, the Scout Object Properties view presents the associated configuration of the selected element. If the selected element represents a specific application model component, the corresponding Java source code can be accessed through a double click on the node, or hitting the **Enter** key.

The navigation tree provided in the Scout Explorer view also allows the developer to add elements to the application. Depending on the selected node in the tree, wizards can be launched using the

context menus. The wizards support the creation of application components, such as forms on the client side or services on the server side by generating the necessary Java code.




Figure 28. The Scout Explorer view. The grey nodes below the expanded client node represent the supported UI technologies.

In Figure 000 the top level organization of the client application model is shown as it is represented in the Scout Explorer. All client specific elements are located under the selected orange client node *org.eclipsescout.helloworld.client*. Right below, the three grey UI plugins which represent the support for the corresponding UI technologies for Swing, SWT and Eclipse RAP. The orange *org.eclipsescout.helloworld.client.mobile* node contains all elements that are specific to mobile devices such as the *MobileHomeForm*.

Specific nodes for the client session and the desktop of the Scout client allow access to the corresponding Scout application model components. While the client session is the main entry point for client-server communication, the desktop represents the root component of the visible part of a Scout client application. Below a set of folders group additional client model components according to their type. The forms folder for example holds all available forms, such as the desktop form that we have used in the “Hello World!” tutorial. [43: See Section [Walking through the Initial Application](#) for a description of many of these elements.]





Figure 29. The Scout Explorer view with the expanded shared node.

A screenshot of the expanded green shared node *org.eclipsescout.helloworld.shared* is provided in Figure 000. As the name “shared” suggests, the corresponding plugin holds all application components that are required for both the Scout client and the Scout server application. This includes texts, icons, codes types, permissions and lookup calls. As shown in Figure 000, a separate folder for each resource type is provided under the shared node.






Figure 30. The Scout Explorer view with the expanded server node (left). On the individual nodes, access to the relevant Scout SDK wizards is provided using context menus (right).

In Figure 000, the blue server node is expanded in the Scout Explorer view. As the primary responsibility of the Scout server application is to answer client requests, its components are mostly related to different types of services. The *Services* folder holds services related to the processing logic of the application such as retrieving and updating data. The remaining folders group more specific types of server services. Under the *Webservices* folder the Scout SDK support to provide and consume web services is located.

The right side of Figure 000 illustrates the access to the Scout SDK wizards using the corresponding context menus. The **New Service...** menu shown in the screenshot will start the wizard to add a new Scout server service.

The different colored tree nodes discussed above are all represented by their individual Eclipse plugins. This includes the orange client node, the grey UI nodes, the orange mobile client node, the green shared node and the blue server node. A Scout Swing client for example contains the plugins *org.eclipsescout.helloworld.client*, *org.eclipsescout.helloworld.shared* and *org.eclipsescout.helloworld.client.ui.swing* but not the other UI technology plugins. The Scout server contains the *org.eclipsescout.helloworld.server* plugin and the *org.eclipsescout.helloworld.shared* plugin.

4.3. The Scout Object Properties

The Scout Object Properties view provides direct access to configurable properties and operations for the element selected in the Scout Explorer. Before we discuss the typical layout of an object property view we describe the special case of the property view for a complete Scout application. This property view is displayed when the application's top level node is selected in the Scout Explorer as shown in [img-sdk_initial_helloworld_project].




Figure 31. The Scout Object Properties showing the expanded Technologies section.

The main elements of the top-level application properties are the sections *Product Launchers* and the *Technologies*. As the product launcher section with its launcher boxes has already been covered in Section [Run the Initial Application](#) and Section [Run the Initial Application](#) we focus on the technologies here. The technologies section allows to add features to the application or remove such elements.

When the selection of a technology checkbox is changed, a message box is shown to the user. This box lists all project resources that are changed when the user confirms the action. Once the dialog is confirmed, the selected resources are modified by the Scout SDK to add or remove the feature.

This is required for features containing licences not compatible to the Eclipse Public Licence (EPL) or features in incubation status, because such features cannot be provided as part of the Eclipse Scout installation package. Instead, the associated artifacts need to be downloaded from a remote updated site first. Before any non-EPL content is downloaded from the internet, the user needs to review and confirm the associated licence. For this, a license confirmation dialog is shown upfront. After confirmation, the required files are downloaded and automatically added to the application. Currently, the procedure described above is used for the following technologies.

- MySQL JDBC Driver for Eclipse Scout
- Oracle 11g2 JDBC Driver for Eclipse Scout
- PostgreSQL 9 JDBC Driver for Eclipse Scout

- Docx4j Support
- F2 Support
- Rayo Swing Look and Feel for Eclipse Scout
- RAP FileChooser Support (Incubation)

The screenshot shows the 'Scout Object Properties' dialog for a 'DesktopForm' object. The dialog is organized into several sections:

- Links:** A list of links on the left includes 'DesktopForm' and 'DesktopFormData'. A 'Service' section on the right lists 'DesktopService' and 'IDesktopService'.
- Documentation:** A section for documentation, currently collapsed.
- Properties:** A section containing sub-sections:
 - Appearance:** Includes a 'Title' text field.
 - Layout:** Includes 'Display Hint' (set to 'view') and 'Display View Id' (set to 'center'), both with dropdown menus and red minus signs.
 - Behavior:** Includes a checked 'Modal' checkbox and an unchecked 'Ask If Need Save' checkbox with a red minus sign.
- Operations:** A section with two entries: 'Exec Init Form' and 'Exec Validate', each with a green plus sign.
- Advanced Properties:** A section for advanced properties, currently collapsed.
- Advanced Operations:** A section for advanced operations, currently collapsed.

A 'Save File' button is located in the top right corner of the dialog.




Figure 32. The Scout Object Properties for a complete form (left) and a string form field (right).

For the description of the Scout Object Properties of typical Scout components we use the example views provided in Figure 000. Both Scout Object Properties example views for the desktop form and the message field are taken from the “Hello World!” application described in Chapter “Hello World” Tutorial. As in the case of the top-level node representing the complete Scout application, the typical layout of the Scout Object Properties view is organized into several expandable sections. The content and ordering of the property sections usually follows the following scheme:

- Filter
- Links
- Properties
- Operations
- Advanced Properties
- Advanced Operations

If a folder node (such as the *Forms* folder under the orange client node) is selected in the Scout Explorer, the Scout Object Properties only shows a filter section with a filter field. The content in this filter field then restricts the elements below the folder icon accordingly. This feature is especially useful for the development of larger applications containing hundreds of forms or services.

The *Links* section provides a set of hyperlinks as shown on the left hand side of [Figure 000](#). The provided links all refer to Java classes and interfaces that related to the Scout component represented by the property view.

The available properties of a Scout component are listed in sections *Properties* and *Advanced Properties*. Basically, all available Java getConfigured methods of a Scout component are listed in one of the two sections depending on the frequency of their usage. Section *Properties* shows the often used properties, while the less frequently used properties are provided in section *Advanced Properties*. The examples in [Figure 000](#) show the thematic organization of the sections into *Appearance, Layout, Behavior* and other groups.

Access to object operations implemented with Java exec methods is provided in sections *Operations* and *Advanced Operations*. Again, the more and less frequently used operations are assigned to individual sections.

For all listed properties and operations the corresponding Javadoc is displayed in the form of a tooltip window. To display the available Javadoc, move the mouse pointer over the method of interest in the Scout Object Properties. [44: This features is work in progress, as for some methods shown in the Scout Object Properties the Javadoc content is not yet available.].

So far, we did only describe the content and organization of the Scout Object Properties. In the reminder of this section we will describe the procedure how to change or update the properties and operations of Scout components. To indicate non-default property values or non-default behavior, the font of the property or operation is switched to underlined bold face. As an example, consider the property *Ask If Need Save* of the desktop form shown on the left side of [Figure 000](#). The bold font visualizes that this does not correspond to the default behavior of forms. And underlining of this property further indicates, that the label has become a clickable link. Clicking on this label will load the corresponding method into the Java editor in the Scout SDK.

To change a property for a specific Scout component just enter a value in the corresponding field or tick/untick the provided checkbox. In some cases the value may also be chosen from a dropdown list. For the label field shown on the right hand side of [Figure 000](#), the “Message” value refers to the translation of the text key to be used in method getConfiguredLabel. To enter a new label text, start typing the desired translated label and pick the option “New translated text...”.

To reset a property or operation to its default value/behavior, you may click on the red *Minus* icon provided on the right side of the property field. This will remove the overridden method from the object’s Java code.

4.4. Scout SDK Wizards

The Scout SDK wizards allow the developer to create Scout application model components with just a few clicks. Creation wizards are provided for all major model components such as forms on the client side or services on the server side. The usage of wizards not only makes developing Scout applications efficient but also helps to create robust code and reduces the number of errors.


Scout SDK wizards can do many things. They add and update Java classes, register services in the plugin.xml files, manage plugin dependencies in the MANIFEST.MF files and update Eclipse product

files when necessary. All these capabilities hide a lot of the complexity of writing Eclipse based applications. This simplifies the development of Scout application considerably.

In the subsections below, the most commonly used Scout SDK wizards are explained. First, the wizards to create and export complete Scout applications are described. Then, the wizards to create Scout application model components are introduced.

4.4.1. Creating a new Scout Project

The *New Scout Project* wizard creates a new Scout client server application. In the Scout Explorer, the **New Scout Project...** context menu is provided on the top-level *Scout Projects* folder. The creation of a form based Scout application has already been introduced in Section [Create a new Project](#) for the “Hello World” tutorial. And Section [Create a new Project](#) provides background information related to the artifacts created by this wizard. In the text below, we will describe the different steps of the creation wizard individually.






Figure 33. The Scout SDK wizard to create a new Scout application. The first wizard dialog (left) is used to specify the needed application plugins. In the next wizard step (right) the application template is selected.

In the first wizard step shown on the left hand side of [Figure 000](#), the project name and the application plugins must be chosen. The *Project Name* field is used as base name of the application's plugins and as the Java package base names inside of the plugins. If the project name is written as parts separated by periods, the last part is copied into the *Project Alias* field.

When building multi module applications, the optional *Project Postfix* field can be specified to apply a common naming schemes for the different modules. The resulting application plugins (UI, client, shared, server) are then named following the scheme <Project Name>.<plugin>.<Project Postfix>.

In the box below the postfix field the list of possible application plugins is provided. Initially, all possible plugins are checked which is useful to quickly demonstrate a “Hello World” application. However, for a typical setup only one or two UI plugins will be needed. To develop a mobile/web application only the RAP UI plugin is necessary. For a desktop only client, either the Swing or the SWT UI plugin will be needed. And in cases where the client needs to run both on the desktop and as a web/mobile application, the RAP and a desktop UI plugin can be chosen. A Scout application must not necessarily be a client-server application. It is also possible to create a client only or a server only application. But make sure to include the shared plugin in all possible use cases.

In the *Eclipse Platform* field the Eclipse target platform version can be selected. If you choose another platform version than the running Eclipse instance, the platform must be downloaded

from the Eclipse update site. This requires Internet access.

The content of the *Alias* field is used for the client's executable file, the name of the servlet representing the Scout server application and to build the product launcher names. And if the *Use default Scout JDT preferences* field is checked, the Scout default Java development settings are used. Otherwise, you start with no settings and can apply your own template.

As we have seen in the “Hello World” tutorial, it is sufficient to provide a project name in the first wizard step and click on the [**Finish**] button to create a form based client server application. But we can also click on the [**Next**] button to choose an application template.

The second wizard step shown on the right side of [Figure 000](#) allows to choose a Scout application template for the new project. When choosing the template *Empty Application* only a minimal code base is created. The other two application templates represent different application types. The template *Application with a single Form* is the default choice used for the “Hello World” tutorial. Finally, the template *Outline Tree and Table Form* can be used to build explorer like applications. The outline tree is typically used to navigate between related business entities. And the tables are used to list a number of business entities with their attributes. We will use this template for the creation of a larger Scout application in [Chapter A One Day Tutorial](#). As in the case of the first wizard step, you may click [**Finish**] button to start the creation of an initial Scout application. Or, click on [**Next**] button and manually step through the third and last wizard step.




Figure 34. The last wizard step is used to specify the RAP target for the new Scout application.

The third wizard step shown in [Figure 000](#) is only available if the RAP UI plugin has been checked in Step 1. Because the RAP runtime must not be installed into the running Eclipse instance, a separate RAP target platform is created and used by the Scout SDK. This target platform then contains all necessary plugins to run the Scout RAP UI. The different options provided by this wizard step are the following:

When choosing the option *Create new RAP Target*, a new RAP target platform will be created at the location specified. This target platform can then be used by several projects.

Option *Download RAP Target* will download the target platform into the running workspace. This download will then only be available to the active workspace.

With the option *Existing RAP Target* an existing RAP target location can be specified. Usually this is a location that has already been created using option 1.

To manually define a RAP target platform choose option *I'll do it later*. With this option, the Scout SDK does not create a RAP target platform for you. But note that the created project will not compile before a complete target platform has been created for the Scout application.

4.4.2. Exporting a Scout Project

The *Export a Scout Project* wizard allows to export a complete Scout client server application as WAR or EAR files. In the Scout Explorer, the **Export Scout Project...** context menu is provided on the main application node just below the top-level *Scout Projects* folder.





Figure 35. The Scout SDK wizard to a new Scout application into WAR files. The first wizard step (left) is used to select the artifact to be exported. In the next wizard step (right) is used to define the server WAR file name and to select the server product file to be used for the export.

As a simple use case, the usage of the export wizard is described in Section [Exporting the Application](#) of the “Hello World” tutorial. And the corresponding background Section [Exporting the Application](#) provides information regarding the content and the organization of the WAR files produced by this wizard.

In the first export wizard step shown on the left hand side of [Figure 000](#) the target directory and the type of content to be exported is defined. The *Target Directory* field is used to define the directory where the generated WAR files will be exported to. Checking the *Export as Enterprise Archive (EAR)* field the WAR file(s) will be packed into a EAR file using the file name provided in the *EAR File Name* field.

In the artifact selector box the content to be included in the export can be specified: * The blue *Server Web Application* node represents the Scout server application. If ticked, the corresponding WAR file will also include a zipped desktop client that will then be provided for download to users (only if a desktop client exists in the current Scout project). * Selecting the orange *Client Application (ZIP)* node will put a zipped client into the target directory. * When working with web/mobile applications the necessary RAP server is represented by the grey *RAP Web Application* node.

The default scenario assumes that you work with a Scout client server application including a SWT desktop client and corresponding web/mobile clients. For this setup you just need to provide a target directory before you can click the **[Finish]** button to start the export. To verify/update what the export wizard will create you may click the **[Next]** button to move to the second wizard step.

The second wizard step is shown on the right side of [Figure 000](#). The server WAR file name proposed in the *WAR File* field uses the naming scheme <Project Alias>_server.war. In order for this WAR file to work out-of-the-box it is recommended to use the proposed value. In the *Product File* field the server product file to be used for the creation of the WAR file can be specified. Clicking the **[Next]** button will move to the next wizard step to select the client product to be exported.




Figure 36. The third export wizard step is used to specify the desktop client product file to be used for the export and the download location for the resulting zipped client.

In the third wizard step shown in [Figure 000](#) the client product file can be selected. If the current Scout project defines both a Swing and a SWT client, the default will use the SWT client. Clicking on the dropdown button next to the *Client Product to include* field will open a *Select Product* dialog to choose the right product from all available client products. In the *Client Download Location* field the path to the zipped client inside the server WAR file is defined. In order for this WAR file to work out-of-the-box it is recommended to use the proposed value. With the **[Next]** button the last export wizard step is shown.




Figure 37. The last export wizard step is used to specify the define the name of the server WAR for the RAP web/mobile application and the corresponding product file to be used for the export.

The last export wizard step is shown in [Figure 000](#). A RAP server WAR file name is proposed in the *WAR File* field based on the naming scheme `<Project Alias>.war`. In order for this WAR file to work out-of-the-box it is recommended to use the proposed value. In the *Product File* field the RAP server product file to be used for the creation of the WAR file can be specified. The **[Finish]** button will then start the export.

After the wizard has completed the export, all resulting artifacts will be located in the target directory specified in the first wizard step.

4.4.3. Creating new Forms

The *New Form* wizard allows to create a new form including the necessary form data, permissions and server services. In the Scout Explorer, the **New Form...** context menu is provided on the *Forms* folder under the orange client node.

New Form

Create a new Form.

Create a new Form.

Form

Name ▼

Class Name

Super Class ▼

Sub Package

Form Id

Create form Id

Property Name Id

< Back Next > Finish Cancel





Figure 38. The Scout SDK wizard to create a new form.

4.4.4. Creating new Form Fields

The *New Form Field* wizard allows to create a new form field. In the Scout Explorer, the **New Form Field...** context menu is provided on Scout Explorer nodes representing composite form fields, such as the *MainBox* node below a form node.






Figure 39. Starting the new form field wizard with the context menu on a composite field (left). The first wizard step (right) is used to select the field type.

Figure 000 provides screenshots for starting the form field wizard with the context menu and the first wizard page. In the first wizard step, the list of all available Scout form field types is presented. To quickly find the desired form field type, a part of the type name can be entered in the search field above the field type list. In the screenshot on the right hand side of Figure 000 this search field contains the value 's' which filters the field type list accordingly. Once the type of the new form field is selected, the next wizard step can be loaded by clicking on the [Next] button.




Figure 40. The second form field wizard step is also used to assign a field label. By typing a word or a parts of it into the Name field a list of existing and matching text entries is provided.

In the second wizard step shown in Figure 000 the remaining creation parameters for the new form field can be specified. The *Name* field is used to define the content of the field label. For this, a translated text entry has to be defined. By typing a string into the name field, all potentially matching existing translation entries are shown in a dropdown list. As shown in Figure 000 not only the text key is used to find matching entries but also translated text entries. When assigning

the label for a preferences string field, the substring “Pref” lists a set of text keys that have a matching entries.





Figure 41. Adding a text translation for a field label (left) and specifying the ordering of the fields (right).

One of the presented options in the list of text entries is the *New translated text...* entry. A double click on this entry starts the wizard to create a new text entry as shown on the left hand side of [Figure 000](#). The *Key Name* field holds the text key that is used to access translated text. [45: The access to the translated texts using `TEXTS.get` is described in the “Hello World” UI background chapter in [Section The User Interface Part.](#)]. In the tabs below the key name field, the text translations for the registered languages can be provided. Make sure to at least provide a text in the

default tab. This text will be used in the Scout application if no translation is available that better matches the logged in user’s locale.

Once the name field is filled in, the entered text key is also used to create a proposal for the *Class Name* field using the pattern <Field Name>Field. In contrast to the label field, the class name field is mandatory. If the field does not need a label the name field can remain empty. In that case, a class name still needs to be provided as described in Section [sec-helloworld_ui] for the DesktopBox class in the “Hello World” application.

The *Sibling* field is used to define the ordering of the form fields in the parent container. As shown on the right hand side of Figure 000, the new PreferencesField is to be placed before the message field.

4.4.5. Creating new Outlines

The *New Outline* wizard allows to create the container to display data of pages. In the Scout Explorer, the **New Outline...** context menu is available on the *Outlines* folder below the *Desktop* node under the applications client node. The *New Outline* wizard is shown in Figure 000.






Figure 42. The Scout SDK wizard to create a new outline.

4.4.6. Creating new Pages

The *New Page* wizard allows to create pages which are shown in the corresponding outlines. In the Scout Explorer, the **New Page...** context menu is available below outlines, below other pages or in the *All Pages* folder. The *New Page* wizard is shown in Figure 000.







Figure 43. The Scout SDK wizard to create a new page with table.

4.4.7. Creating new Table Columns

The *New Column* wizard allows to create columns in a table. In the Scout Explorer, the **New Column...** context menu is available below tables, on the *Columns* folder. The *New Column* wizard is shown in [Figure 000](#).






Figure 44. The Scout SDK wizard to create a new table column.




Figure 45. Column Properties.

4.4.8. Creating new Search Forms

The *New Search Form* wizard allows to create a new Scout form to search for elements displayed in pages. In the Scout Explorer, the **Create Search Form...** context menu is provided on the *Search*

Forms folder under the orange client node. If you have already a page and the corresponding column created, you can directly create a search form based on that table as shown in [Figure 000](#).




Figure 46. Start the Scout SDK search form wizard for an existing table page.

4.4.9. Creating new Services and Operations

The *New Service* wizard allows to create new services to execute tasks and provide data to a client. In the Scout Explorer, the **New Service...** context menu is provided on the *Services* folder under the orange client node and the blue server node. This reflects the fact that services may be defined on both the client and the server side.





Figure 47. Starting the service creation wizard to add a new server service.







Figure 48. The Scout SDK wizard to create a new service.

4.4.10. Creating new Code Types and Codes

The *New Code Type* wizard allows to create new code types. As access to code types and codes is required from both client and server applications they are located in the application's shared plugin. Consequently, the **New Code Type...** context menu is provided on the *Code Types* folder under the green shared node in the Scout Explorer.






Figure 49. The Scout SDK wizards to create a new code type (left) and a new code (right).

A screenshot of the wizard to create a new code type is shown on the left side of [Figure 000](#). The *Code Id* field contains the ID that will be assigned to the new code type. Take care to ensure that the content of this field matches with the type provided in the *Datatype of CodeType Id* field. The *Name* contains an optional name for the code type, and the *Class Name* field the name of the Java class to be created. If the name field is filled in, the class name field is automatically derived from the provided name.

The *New Code* wizard shown on the right side of [Figure 000](#) allows to create individual codes. In the Scout Explorer it can be accessed through the **New Code ...** context menu on existing code type nodes. For hierarchical code types, this wizard is also made available on existing codes to create inner codes.

4.4.11. Creating new Library Bundles

The *New Library Bundle* wizard allows to add functionality provided in standard JAR files to a Scout application. In the Scout Explorer, the **New Library Bundle...** context menu is provided on the top-level *Libraries* folder and individually under the orange client node, the green shared node and the blue server node.






Figure 50. The Scout SDK wizard to add external JAR files in the form of a library bundle to a Scout project.

4.4.12. Creating new Application Modules

In some projects it may be desired to split the application into several modules. This allows to split the application into smaller parts and allows to deliver multiple versions with different features (e.g. a "Professional Edition" that contains more functionality). For this an additional set of client, shared and server plugins can be created to group e.g. all the "Professional Edition" features. To create a new module the *Create new Scout Bundles* wizard can be started by using the **Add Scout Bundles...** context menu on the project node (like `org.eclipsescout.helloworld`).



The screenshot shows the 'Create new Scout Bundles' wizard dialog box. The title bar reads 'Create new Scout Bundles'. The main content area is titled 'Create new Scout Bundles' and includes the subtitle 'Adds new Scout Bundles to an existing Scout Project.' Below this, there are two text input fields: 'Project Name' with the value 'org.eclipsescout.helloworld' and 'Project Postfix' with the value 'professional'. A list of three bundles is shown, each with a checked checkbox and a colored icon: 'org.eclipsescout.helloworld.client.professional' (orange), 'org.eclipsescout.helloworld.shared.professional' (green), and 'org.eclipsescout.helloworld.server.professional' (blue). Below the list is a 'Project Properties' section with a checked checkbox for 'Use default Scout JDT preferences' and a 'Project Alias' field containing 'helloworldProfessional'. A note below the alias field states: 'The project alias is used for the servlet name and launcher names.' At the bottom of the dialog are five buttons: 'Help', '< Back', 'Next >', 'Finish', and 'Cancel'.




Figure 51. The Scout SDK wizard to create a new application module.

4.4.13. The NLS Editor




Figure 52. The NLS editor provided by the Scout SDK. This editor is opened via the *Open NLS Editor ...* link in the Scout Object Properties of the `DefaultTextProviderService` node.

Access to translated texts in Scout applications is provided through text provider services located in the application's shared plugin. This setup makes translated texts available in the client and the server part of the application. Consequently, the Scout SDK provides access to the NLS Editor to manage translated texts and application languages under the green shared node in the Scout Explorer view as shown in Figure 000.

To open the NLS editor, select the green *shared* node in the `{scoutExplorerView}` and expand its *Text Provider Services* folder. Then, select the contained element `<Project Alias>TextProviderService`. As shown in Figure 000, the NLS editor can be opened using the *Open NLS Editor ...* link in the `{scoutPropView}`. In the NLS editor translations can be edited individually by pressing F2 or double-clicking into a text cell. This opens the editor to change the text to the desired value. To add a new translated text, the corresponding dialog can be opened by clicking on the button with the 'T' icon next to the 'New language' button (shown in Figure 000).

In Scout applications, translated texts are obtained with the method `TEXTS.get("key")` where "key" represents the language independent text key. In a default Scout project setup, calling `TEXTS.get` uses the `<Project Alias>TextProviderService` in the background. And this text provider service defines the access path for the text property files that are located in the applications shared plugin. Typically, these property files are collected in the plugin's `<yourapplication>.shared/resources/texts` directory according to the right hand side of Figure 000. To resolve the provided text key at runtime, the user's locale settings is used to access the correct text property file.





Figure 53. In the dialog *Add a Language* shown on the left side the desired language and localization can be specified. On the right side, the location of property file *Texts_es_ES.properties* in the shared plugin of the “Hello World” application is shown.

Adding support for a new language to a Scout project is also directly supported by the Scout SDK. To add support for a new translated language, click on the corresponding icon of the NLS editor as shown in [Figure 000](#). In the opened language dialog, add the desired language and country localization and the target directory as shown in [Figure 000](#). A new language properties file is then added to the shared plugin project as shown in [Figure 000](#). The new language is now available as an additional column in the NLS editor and as a separate tab in the dialog to add new translated texts.

Chapter 5. A One Day Tutorial

In this chapter we will create the “Contacts” Scout application. The goal of this tutorial application is to learn about the most prominent features of the Eclipse Scout framework that is based on a fully functioning application. The application is still kept small. [46: Small in comparison with real world application. But significantly larger and complexer than the “Hello World” application of Chapter “Hello World” Tutorial.] enough to complete this tutorial within application covers additional aspects of the Eclipse Scout framework. The presented demo application borrows from a Scout tutorial published 2012 in the German *Java Magazin*. [47: Java Magazin 7.12: <https://jaxenter.de/magazines/JavaMagazin72012>.]

According to this step-by-step tutorial, we will build an outline based Scout application featuring a navigation tree and pages to present information in tabular form. In addition, the application also shows how to work with forms to enter and/or update data, menus and context menus. On the server side, we show how to work with services, databases and how to use logging in Scout applications.

The chapter is organized as follows. In the first section, the finished demo application is explained from the user perspective. The remaining sections focus on the individual steps to implement the “Contacts” application.

To be able to easily follow the text, we assume that the reader is familiar with the “Hello World” tutorial and the Scout SDK as described in Chapter [Scout Tooling](#).

5.1. The “Contacts” Application

The “Contacts” application is a client server application to manage personal contacts, organizations and events. The persistence of entered data is achieved via simple JDBC access to a Derby database.




Figure 54. The “Contacts” application with the person page.

Figure [Figure 000](#) shows the “Contacts” application after connecting to the Scout UI application. Clicking on a row in the person page activates the *Edit* menu which is also available as a context

menu on the table row. The selected person can then be opened in a form to view and edit its data as shown in [Figure 000](#).




Figure 55. The “Contacts” application with a person opened in a form.

To run the “Contacts” application without implementing it first, you may take advantage of the fact that the code of the application is hosted on Github. [48: “Contacts” on Github: <https://github.com/bsi-software/org.eclipse.scout.docs/tree/releases/6.0.x/code/contacts>], and start from there. Alternatively, you can pull a Docker image of the “Contacts” application from Docker Hub. [49: “Contacts” on Docker Hub: <https://hub.docker.com/r/eclipsescout/org.eclipse.scout.contacts/>].

5.2. Tutorial Overview

- Bla

5.3. Setting up the new Scout project







New Scout Project

Create a Scout Project

Create a Scout project in the workspace.
Enter the name and choose the desired tiers.

Project Name

Project Postfix

-  org.eclipsescout.contacts.ui.rap
-  org.eclipsescout.contacts.ui.swing
-  org.eclipsescout.contacts.ui.swt
-  org.eclipsescout.contacts.client
-  org.eclipsescout.contacts.shared
-  org.eclipsescout.contacts.server

Project Properties

Eclipse Platform ▼

Use default Scout JDT preferences

Project Alias

The project alias is used for the servlet name and launcher names.





Figure 56. Start with creating a new Scout project.

The initial code for the “My Contacts” application is generated using the *New Scout Project* wizard as described in Section [Creating a new Scout Project](#). For the *Project Name* field use the name `org.eclipsescout.contacts` as shown on the left side of [Figure 000](#) and click on the [**Next**] button. In the second wizard step select the application template *Outline Tree and Table Form* as shown on the right side of [Figure 000](#).






Figure 57. The setting of the Technology section in the Scout Object Properties of the “My Contacts” application.

After the Scout SDK has created the initial application code select the top-level *org.eclipsescout.contacts* node in the Scout Explorer. In the technology section of the corresponding Scout Object Properties select the Derby database driver, the Docx4j support and the Rayo look and feel as shown on the right side of Figure 000. In case you have not yet used the Scout Docx4j support or the Rayo look and feel components, the Scout SDK will need to download these packages from the Eclipse Marketplace. [50: See Section [The Scout Object Properties](#) for additional information regarding the download of marketplace packages] first.

Listing 9. The *ExportToExcelMenu* class added by the Docx4j support to the application’s tools menu.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/Desktop.java[lines=154..170]
```

Remark: Adding the Docx4j support will add the **Export to Excel** menu under tools menu on the application’s desktop. This presence of this feature will then allow to export contacts shown in the application to an Excel sheet. As shown in [Listing ExportToExcelMenu](#), the *ScoutXlsxSpreadsheetAdapter* first creates an excel file based on the currently active page in the *execAction* method. Then the file is opened on the client using the *shellOpen* method.





Figure 58. Configure the application name “My Contacts” in the title field of the Desktop’s properties.

After this initial project setup step we first define the application’s name shown on the main dialog. For this, select the *Desktop* node under the orange client node in the Scout Explorer. This opens its Scout Object Properties as shown in Figure 000. In the *Title* field enter the string “My Contacts” and create a new translated text entry.

Listing 10. The `execOpened` method of `desktop` class of the "My Contacts" application. The application's organisation into a tree and a table form is defined here.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/Desktop.java[lines=56..79]
```

As shown in Listing `execOpened` the application's organisation into a tree and a table form is explicitly defined in method `execOpened`. Click on the *Exec Opened* link in the desktop's Scout Object Properties to access the Java code of this method. First, using the `UserAgentUtility` class, the method checks if the client is working with a desktop, a web or a mobile client. If the user is not working with a desktop client, `execOpened` returns immediately and the tree and table setup is not used. Instead, the `MobileHomeForm` defined in plugin `org.eclipsescout.contacts.client.mobile` is used. In case the user is working with a web client or a desktop client, the default tree and table forms are created and started. Finally, the currently active outline is set to the `StandardOutline`, as this is the only outline defined in this application.

5.4. Adding the Person Page




Figure 59. Create a new page as a child page of the standard outline.






Figure 60. Create a new page with the corresponding SDK wizard. To present the list of persons in a table, choose the template *AbstractPageWithTable* as shown on the left.

The first UI component we add to the application is the person page. For the desktop clients, this page is represented as a table that will list all available persons in the database of the “My Contacts” application. To start the *New Page* wizard use the **New Page...** context menu on the *Child Pages* folder as shown in Figure 000. On the first wizard step select the template *AbstractPageWithTable* and click the [**Next**] button. On the second wizard step, provide the page name “Person” to create a new translated text entry at the same time. Make sure the other fields are filled in as shown in Figure 000 and click the [**Finish**] button to close the wizard.

Listing 11. The `execCreateChildPages` method of the standard outline. At the current implementation step the company table page is not (yet) added.

```
TODO include was {codedir}/oneDayTutorial/org.eclipse.scout.contacts.client/src/org
/eclipse.scout/contacts/client/ui/desktop/outlines/StandardOutline.java[lines=25..31]
```

Listing `execCreateChildPages` shows the created method `execCreateChildPages` that links the newly created person page to the standard outline. Note that your code will only look the same once you have added the company page in a later step of the implementation of this application.








Figure 61. Add columns to the person page.

Now, drill down to the *Columns* folder under the *PersonTablePage* node as shown in [Figure 000](#). Here we can add the desired table columns to the person page. Start with the column that will hold the person id. For this, start the column wizard as shown on the left side of [Figure 000](#) and select the string column template. In the second wizard step, enter “PersonId” into the *Class Name* field, select the radio button *Create one more column* and click on the [**Finish**] button. This will restart the column wizard to enter the next columns. Create the remaining string columns with the

following names.

- {First Name}
- {Last Name}
- {Headline}






Figure 62. Configure the PersonId column. Check property Primary Key under the section Advanced Properties (right).

Listing 12. The person id and the first name columns of the PersonTablePage class.

```

TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/outline/pages/PersonTablePage.java[lines=82..
104]

```

Once you have created all these columns we will mark the person id column as the primary key column for the person page. In the Scout Explorer select the *PersonIdColumn* node to open the corresponding Scout Object Properties. In this form, deselect the *Displayable* property to always hide this technical column from the end user. In the properties *Advanced Properties* section check the *Primary Key* property. The resulting Java code for the primary key column and the first name column is provided in [Listing PersonIdColumn and FirstNameColumn](#).





Figure 63. Add the CompanyId variable to the person page.

Listing 13. The company id variable of the PersonTablePage class.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/outline/pages/PersonTablePage.java[lines=31..
35;172..183]
```

As we will later add and link the person page with a company page, we add a company id variable to the person page as shown in [Figure 000](#). For the Java representation of such variables the standard bean pattern is used as shown in [Listing PersonTablePage](#).

5.5. Adding the Company Page





Figure 64. Add the person page below the the company page.

Listing 14. Linking the PersonTablePage with the parent CompanyTablePage.

```

TODO include was {codedir}/oneDayTutorial/org.eclipse.scout.contacts.client/src/org
/eclipse.scout.contacts.client/ui/desktop/outline/pages/CompanyTablePage.java[lines=38.
.44]

```

After adding the person page, we also add a company page under the *Child Pages* node to the standard outline. To add the company page we use the same wizards as described in the previous section for the person page. For the *Name* field we enter the new translated text “Company” and the columns to add are the following.

- {Company Id}

- {Name}
- {Location}

As in the case of the person table page, the company id column is used as a primary key column. The *Displayable* property needs to be set to false and the *Primary Key* property to true. Now we can link the person page to the company page using the **Add Existing Page...** context menu as shown on the left side of [Figure 000](#). In the *Link Page* wizard, the person page can then be selected according to the right side of [Figure 000](#). In the Java code generated by the Scout SDK the setting of the company id attribute is automatically inserted in method `execCreateChildPages`. Please note that this convenience added by the Scout SDK wizard only works if the child page defines variables with a naming that matches the defined primary key columns of the parent table.

5.6. Installing the Database





Figure 65. Add the service to access the Derby database under folder SQL Services.


To access a database we first need to install a database service. For the “My Contacts” application, this is done using the *New SQL Service* wizard on the Scout server under the *SQL Services* folder as shown in [Figure 000](#). In the first wizard step shown on the right side of the figure, use “DerbySqlService” for the *Class Name* field. From the drop-down list in the *Super Class* field choose the *AbstractDerbySqlService* and click on the [**Finish**] button.

Listing 15. Setting up the database parameters in the Scout server’s config.ini file.

```
TODO include was
{codedir}/oneDayTutorial/org.eclipsescout.contacts.server/products/development/config.
ini[lines=42..48]
```

To setup the database connection the necessary parameters need to be added to the server’s config.ini file as shown in [Listing DataSource in config.ini](#). Comparing the parameter names in this config file with the package name of the created *DerbySqlService* service class reveals an interesting framework feature. All Scout services can be parameterized using the config.ini file with the pattern `<package>.<class name>#<parameter>=<value>`. The Scout runtime then sets the service parameters using matching setter methods such as `setPassword` for the password parameter.

According to the parameter `jdbcMappingName=jdbc:derby:${workspace_loc/...}` a new Derby database will be created in the same parent directory as the “My Contacts” workspace directory if no database named `DB_CONTACT` is found there. This setup is handy for development purposes but you may want to set the database parameter to `create=false` in the config.ini of the production product file.







Figure 66. Add a database installation service.






Figure 67. Add the service operation to create the DB schema.

Listing 16. New tables are created if they are not found by `getExistingTables` in the existing schema.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/DBInstallService.java[lines=20..50;107..108]
```

5.6.1. Setting up the Database Schema

Having a working database service and a new (empty) Derby database now allows to create the necessary database schema and populate it with some initial data. For this we add a new `DBInstallService` service as shown in [Figure 000](#) below the `Services` node of the Scout server. To this install service we then add the `installStorage` operation according to [Figure 000](#). The implementation of this method is provided in [Listing DBInstallService](#). The method first checks if a setup is required. For this, the member variable `m_doSetup` is used that might also be set by the `setDoSetup` setter method via the server's `config.ini` file.

Listing 17. Setting up the `COMPANY` table of the “My Contacts” application.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/DBInstallService.java[lines=51..70]
```

Listing 18. Setting up the `PERSON` table of the “My Contacts” application.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/DBInstallService.java[lines=71..93]
```

Listing 19. Setting up the USERS_PARAM table of the “My Contacts” application.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/DBInstallService.java[lines=94..106]
```

Setting up the schema to contain the individual tables for the “My Contacts” application is implemented in a separate method per table. The table definition for the company table is provided in [Listing COMPANY table setup](#). In this method two Scout aspects are of interest.

The first Scout feature used is the absence of a COMMIT statement after the two INSERT INTO statements. This is possible, as all Scout service calls run in a transaction context that is transparent to the Scout developer. If a service method exits without errors, the enclosing transaction is committed. And if any runtime exception occurs in a service call the Scout runtime framework performs a rollback.

The second feature is the parameter binding used in the INSERT INTO statements. When SQL statements are executed using any of the static SQL methods, an internal statement processor replaces all bind variables found in the provided statement string. In Scout, SQL bind variables need to use the pattern :<variable name>. The values for the bind variables can then be provided in the form of additional arguments. In the concrete example of [Listing COMPANY table setup](#), the content for the bind variable :company_id is provided as a NVPair object. [element]_NVPair_s are the simplest possible form to represent bind variables. The first constructor argument is the variable name of the bind variable, in this case company_id. The actual content of the bind variable is provided in the form of an object. Here, the Java runtime class UUID.randomUUID().toString() is used to create a new company key.

Setting up the person table and the user parameter table is defined according to [Listing PERSON table setup](#) and [Listing USER_PARAM table setup](#). To create a data object for the persons day of birth, the Scout utility class DateUtility is used.

Listing 20. Scheduling the database installation in the start method of the ServerApplication class during the server application startup.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/ServerApplication.java[lines=30..57;62..63]
```

The only piece missing to setup the database is calling the installStorage operation during the startup of the “My Contacts” server application. The proper way to implement such a scenario is to schedule an installation job in the ServerApplication class of the Scout server. In the “My Contacts” application this is implemented according to [Listing database installation](#). To create a server job, a new server session object needs to be obtained first. However, during the startup time of the server we do not have any logged in users yet. That is why the session is created for the backend subject representing the server application. Using this serverSession object, the installJob can be created. In it’s runTransaction method we can then call the installStorage operation to setup the “My Contacts” database.

5.6.2. Logging in Scout

An additional Scout topic that is touched in this `ServerApplication` class is the Scout logging. Scout uses [SLF4J](#) for logging. As shown in [Listing database installation](#), a static logger object is created using SLF4J's `LoggerFactory` class. Events can then be logged with the `logger.info` method where `info` refers to the log level attached to this message. Further information regarding logging in Eclipse Scout is available on the SLF4J home page and in the Scout wiki [51: Logging in Eclipse Scout: <http://wiki.eclipse.org/Scout/Concepts/Logging>].

5.7. Fetching Data from the Database





Figure 68. Add the service operation to fetch the data for the person table.

In the section before we have implemented and configured the SQL service to access the Derby

database from the Scout server. And during the first server startup, the application's database schema is created and populated with some initial data.

Now, this SQL service is ready to be used to fetch the data for the client application's person page and the company page. The best place to implement these data provider methods is in the server's `StandardOutlineService` class. This class has been created by the Scout SDK during the initial project creation step. It is meant to hold the operations that fetch the data for populating the elements visible in the outline tree and outline pages.

For the "My Contacts" application, we first create the `getPersonTableData` operation as shown in [Figure 000](#). In the wizard dialog enter "getPersonTableData" into the *Operation Name* field. For the return type we simply use a two dimensional object array. As the person page is also displayed under the company page, we need to have a way to only return the persons working for a specific company. To allow for this use case, we add the parameter "companyId" as the first argument to the `getPersonTableData` operation before we close the wizard with **[Finish]** button.

The next operation we need is the `getCompanyTableData` method. You may use the same creation steps as described above for the person table page data. But for fetching company table data we do not need an additional argument. The company page in the "My Contacts" application will always show all available companies.

Listing 21. Fetching the table data for the person and the company page of the "My Contacts" application. The list of persons is restricted to employees of a specific company if a company id parameter is provided.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/StandardOutlineService.java[lines=10..29]
```

For the actual implementation of the two data fetching operations the code provided in [Listing StandardOutlineService](#) is used. The implementation is straight forward and almost trivial. However, we can use the `getPersonTableData` example to introduce one of the many Scout utility classes.




Figure 69. Accessing the Scout utility classes with the pattern `org.eclipse.scout.*Utility`.

The class `StringUtility` is one of the many utility classes provided by the Scout framework. Here, it is used for the typical null or empty check. To get a quick overview, hit the `CtrlShiftT` key combination. In the type dialog that appears enter `org.eclipse.scout.*Utility` into the pattern field. This will display the complete list of the Scout utility classes as shown in [Figure 000](#).





Figure 70. Adding method `execLoadTableData` to the person table page.


Listing 22. Loading the person data into the person table page.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/outline/pages/PersonTablePage.java[lines=168.
.172]
```

As we have implemented the server service methods to load person and company data from the database, we can now use these services to load the data into the client. For this, we first navigate to the `PersonTablePage` under the orange client node in the Scout SDK. In the corresponding Scout Object Properties we add method `execLoadTableData` by clicking on the green plus icon as shown in [Figure 000](#). Fetching the actual data is now implemented in a single line of code according to [Listing `execLoadTableData`](#).

For the company table page, the process described above can be repeated. The only difference is the implementation of the method `execLoadTableData`. Here, we can use the server service method `getCompanyTableData()` to fetch the company data from the server.

5.8. Creating the Person Form







Figure 71. Add the person form.

In this section we will create the person form that is used to display and edit the persons stored in the “My Contacts” application. To add the person form use the Scout SDK *New Form* wizard as shown in [Figure 000](#). In the first wizard step you just need to enter “Person” as a new translated text into the *Name* field and add “ui.forms” as the sub-package name in the corresponding wizard field. Then click the [**Finish**] button.

The wizard will create the necessary artefacts in the application’s client, the shared and the server plugin projects. On the client side the *PersonForm* class with the necessary form handlers is created, in the shared part, the *PersonFormData* transfer object is added. On the server side, a *PersonProcessService* with all necessary service operations referenced by the form handlers is implemented.







Figure 72. Add the *PersonId* variable to the person form.

To hold the persons primary key in the person form we also need to add a corresponding variable. For this, use the *New Property Bean* wizard as shown in [Figure 000](#). In the wizard dialog, enter “PersonId” into the *Name* field and pick String from the dropdown list provided in the *Bean type* field. Then, click the [**Finish**] button to close the wizard.

5.8.1. Creating the Form Layout with From Fields






Figure 73. Add the first group box field to the person form.

As a next step we create the main layout structure of the person form. According to the screenshot of the person form shown in [\[img-my_contacts_swt\]](#) the form is organized into an upper box including the first name, the last name and a picture field. In the “Details” box in the lower half of the form some additional fields are found, such as the date of birth field. And the bottom of the form holds a “Show Map ...” link. We start with the general layout by adding the `PersonBox` according to [Figure 000](#). In the first step (omitted in [Figure 000](#)) of the new form field wizard the field type `GroupBox` has to be selected. Below the person box we add the detail group box. As before, we select the `GroupBox` field type and click on the **[Next]** button. In the second wizard step we then enter the text “Detail” into the *Name* field.

We now add the form fields listed below using the the *New Form Field* wizard multiple times. Most fields are of type `StringField` and different field types are separately indicated.

- `PersonBox`
 - “First Name”
 - “Last Name”
 - “Picture URL”
 - `PictureField (ImageField)`
- “Detail” `DetailBox`
 - “Headline”
 - “Location”
 - “Date of Birth” (`DateField`)





Figure 74. Add the picture field to the first group box of the person form.

As an example for adding the form fields, the process is illustrated in [Figure 000](#) for the creation of the picture field. In the field list we need to set non default properties for the *PictureUrlField* field and the *PictureField* field. The picture URL field will hold an URL pointing to the picture of the person to be displayed. As in the person form only the picture is to be displayed but not the picture

URL, we need to make this field invisible. For this, select the *PictureUrlField* node in the Scout Explorer and then untick the *Visible* field in the Scout Object Properties. Note that to access the visibility property you need to open the section *Advanced Properties* first.





Figure 75. Set the properties for the picture field of the person form.

As the configuration of the picture field is more complex than the other fields, the changed properties are shown in the screenshots provided in [Figure 000](#). First, no label is shown for the picture field as shown in the unticked *Label Visible* field of the Scout Object Properties. Then, property *Grid H* is set to 5. This results in the picture to cover the vertical space of 5 form fields.

Listing 23. The behaviour of the person form's PictureField is triggered by changes in field PictureUrlField.

```
TODO include was {codedir}/oneDayTutorial/org.eclipse.scout.contacts.client/src/org
/eclipse.scout.contacts.client/ui/forms/PersonForm.java[lines=233..235;251..267;286..28
7]
```

Finally, we want the picture to be refreshed whenever the content of the picture URL is changed. For this, the property *Master Field* is set to the *PictureUrlField*. The implementation of the corresponding method *execChangedMasterValue* is provided in [Listing execChangedMasterValue PictureField](#). As we can see, the Scout helper class *IOUtility* is used to read the image content from the provided URL. This content is then used to assign the image content with the image field's method *setImage*. Method *setAutoFit* is called to adapt the picture to the dimensions available to the image field.

5.8.2. A simple Form to edit the Picture URL

New Form

Create a new Form.

Create a new Form.

Form

Name ▼

Class Name

Super Class ▼

Sub Package

Form Id

Create form Id

Property Name

< Back Next > Finish Cancel




Figure 76. Add the URL editor form. This form does not need any connections to the server. Therefore, the related components such as services and the form data can be removed in the second wizard step shown on the right side.

To edit a person’s picture link, we create a simple URL editor form as shown in [Figure 000](#). As we only need this form to update the URL information of a person’s picture field, we do not need any connectivity to the backend of the “My Contacts” application. That is why almost all form and service artefacts are deselected in the second wizard step shown on the right side of [Figure 000](#).

Listing 24. The UI structure of the PictureURLForm used to update the URL of the picture field in the person form.

```

TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/forms/PictureURLForm.java[lines=24..25;99..113;122..1
22;126..127]

```

As this form only holds a single URL field, we omit the description of the creation of the URL editor form’s content and provide the resulting Java code instead. In [Listing PictureURLField](#) just the form’s MainBox code is shown.





Figure 77. Add the URL edit menu to the picture field.


This form is then started via an “Edit URL ...” contextmenu on the image field. The creation of this contextmenu is shown in [Figure 000](#). See [Listing EditURLMenu](#) for the actual implementation of the `execAction` for this contextmenu.

Listing 25. The edit menu implemented in class EditURLMenu of the picture field. If the URL was changed the picture URL field of the person form is set accordingly in method execAction

```
TODO include was {codedir}/oneDayTutorial/org.eclipse.scout.contacts.client/src/org  
/eclipse.scout.contacts.client/ui/forms/PersonForm.java[lines=268..285]
```

Once the edit URL form is started with `form.startModify()` the client waits in method `form.waitFor` until the form is closed by the user. If the user has changed any field content (the picture URL in our case) and closed the form with the [OK] button, the method `form.isFormStored` returns true, and we can copy the new URL from the editor form field into the picture URL field of the person form. Such a change will then trigger method `execChangedMasterValue` of the `PictureField` which in turn updates the image shown in the person form.

5.8.3. Linking the Person Form to the Person Page






Figure 78. Add the Person edit menu to the person page.

Listing 26. The `EditPersonMenu` to edit the person selected in the person table. The person id taken from the corresponding (invisible) column is transferred to the person form before the form is started.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/outline/pages/PersonTablePage.java[lines=123.
.142]
```

The user of the “My Contacts” application wants to use the person form to show/edit attributes of a specific person. To support this use case, we need to link this form with the “My Contacts” application. As we already have person pages that show some of the person’s attribute, we can now add context menus to this list to open/edit existing persons in the person form and to create new persons as well. This is achieved by using the *New Menu* wizard on the *Menus* node of the table of the person page according to [Figure 000](#). In the *Name* field enter the new translated text “Edit Person ...”. The form to start is the `PersonForm` and the `ModifyHandler` is the form handler to be used to start the form. As we have defined a meaningful primary key column on the person page and a matching variable is available for the person form, the Scout SDK wizard is generating the necessary code automatically. The implementation of the `execAction` method provided in [\[lst-mycontacts.desktop.outline.personpage.editmenu\]](#) works out of the box and should not need any manual tuning. Now, you may also add the “New Person ...” menu in the same way. Except that you pick the `NewHandler` in the *New Menu* wizard instead of the modify handler.





Figure 79. Set the behaviour for the row level action on the person table.

Listing 27. The `execRowAction` method on table pages is used to trigger an action when a row is selected with a double click or `<Enter>`.

```

TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/outline/pages/PersonTablePage.java[lines=63..
67]

```

To open the person form with a double click on a person row or by hitting the `Enter` key, you may add a corresponding `execRowAction` on the person page. This method can be added to the person table by clicking on the green plus icon next to the operation `Exec Row Action` as shown in [Figure](#)

000. For the implementation of this method you may reuse the functionality implemented for the context menu according to [Listing execRowAction](#).

5.8.4. Adding the Company Smartfield

At the current stage of the “My Contacts” application, we have no option to manage the relationship between people and companies. To manage this relation, we now add a company smart field to the person form. This smart field will then hold the current assignment of the person represented in the person form.

A Scout smart field can be viewed as user friendly dropdown field on steroids that also implements *search-as-you-type* to pick a specific entry. In the simplest case the smart field provides access to a small and locally provided list of key value pairs. But for the intended use in the “My Contacts” application, we will need to access a list of elements provided by the server that will be compiled dynamically at runtime.




Figure 80. Add a lookup call to the applications shared node.





Figure 81. The two wizard steps to enter the details of the company lookup call.

To create the access to this list, we start with the creation of the company lookup call. As shown in [Figure 000](#) the lookup call is added on the *Lookup Calls* folder under the green shared node of the “My Contacts” application. This opens the *New Lookup Call* wizard as shown in [Figure 000](#). In the first wizard step, enter “Company” into the *Class Name* field, “services.lookup” into the *Sub Package* field and “String” into the *Key Type* field. Now verify that the wizard step looks the same as the

screenshot shown on the left hand side of [Figure 000](#). Before the wizard is closed, click on the **[Next]** button to move to the second wizard step. As shown on the right hand side of [Figure 000](#), the wizard will also create a corresponding `CompanyLookupService` on the application's server. We can now close this wizard with the **[Finish]** button and add the business logic to this company lookup service.

Listing 28. The company lookup call with its `getConfiguredService` method in the application's shared plugin.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.shared/src/org
/eclipsescout/contacts/shared/services/lookup/CompanyLookupCall.java[lines=12..21]
```

Listing 29. The company lookup service in the application's server plugin. The key and the text criteria are used to search for values by key or by the provided name substring.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/lookup/CompanyLookupService.java[lines=6..20]
```

The `CompanyLookupCall` just created by the Scout SDK wizard is provided in [Listing CompanyLookupCall](#). As we can see, the only method implemented is `getConfiguredService` that points to the specific server service to be used. In the Scout Explorer, the new company lookup service can be found in the *Lookup Services* folder under the blue server node of the application. In this service, we need to implement method `getConfiguredSqlSelect` as shown in [Listing CompanyLookupService](#). For Scout lookup services, specific *key*, *text* and *all* criteria blocks need to be provided. This criteria are included in the `SELECT` statement using the `<key>`, `<text>` and `<all>` tags as shown in the listing. The Scout runtime uses the `<key>`-block in cases where a specific key is already assigned to the smart field. The `<text>`-block is used as a query criteria to create the dynamic *search-as-you-type* hit list based on the (sub)string entered by the user so far. Finally, the `<all>`-block is used to define the hit list to be shown when the user does not enter any text into the smart field but clicks on the field's search icon instead. The bind variable `:key` and `:text` are provided by Scout and hold the value of the assigned key or the text entered into the smart field.





Figure 82. Add a smart field to the person form.






Figure 83. Create the company smart field for the person form. In the second wizard step shown on the right side, first remove the content in the *Generic Type* field and then select the company lookup call into the corresponding field.

We are now ready to add the company smart field to the person form. To start the *New Form Field* wizard we use the context menu on the *DetailBox* of the person form as shown in [Figure 000](#). In the first wizard step, we chose the *SmartField* entry as the field type and click the **[Next]** button. Then, we enter “Company” into the *Name* field as shown on the right hand side of [Figure 000](#). Make sure that you select the *String* entry in the *Generic Type* field as we are using string values to identify companies in the “My Contacts” application. And in the *LookupCall* field, we can now select the *CompanyLookupCall* that we have just created before. Finally, the position of the new company smart field can be set in the *Sibling* field before the location field before the wizard is closed with the **[Finish]** button.

Listing 30. The smart field *CompanyField* of the person form and its wiring with the company lookup call.

```
TODO include was {codedir}/oneDayTutorial/org.eclipse.scout.contacts.client/src/org
/eclipse.scout.contacts.client/ui/forms/PersonForm.java[lines=324..337]
```

The implementation of the company smart field created by the Scout SDK wizard is provided in [Listing CompanyField](#). A look at the implementation of the *CompanyField* class shows the wiring with the company lookup service.

5.8.5. Adding the Map Form

We now want to add the “Map” form shown in the front of [\[img-my_contacts_swt\]](#). The purpose of this form is to show a map corresponding to the address entered into the *location* field of the person form using the Google Maps Image API. [52: The Google Maps Image API can be used to fetch static map images: <https://developers.google.com/maps/documentation/imageapis/>]. This implies

that map images will only be shown in the map form if the entered address can be parsed by the Google Maps Image API.

To create the maps form we start the *New Form* wizard and enter the new translated text “Map” into the *Name* field and “ui.forms” into the *Sub Package* field of the first wizard step. Then, we click the **[Next]** button to configure the artefacts to be created by the wizard. For the map form we can use the configuration as shown on the right hand side of [Figure 000](#) with the difference that we do not need the cancel button. Having deselected all artefacts except for the ok button and the modify handler, the wizard can be closed with the **[Finish]** button.

After the form creation wizard has been closed, we can add an “Address” variable to the form by starting the *New Property Bean* wizard on the *Variables* node of the newly created map form. In the property bean wizard, enter “Address” into the *Name* field and set the *Bean type* field to *String*.

As the next step, the map image field is added to the form. For this, start the *New Form Field* wizard directly on the form’s *MainBox* node. In the first form field wizard step, select *ImageField* as the field type and click on the **[Next]** button. Now enter “Map” into the *Class Name* field and close the second wizard step with the **[Finish]** button. To set the properties of the new map field, select the *MapField* node below the main box node of the map form. In the *MapField*’s Scout Object Properties untick the *Label Visible* property and add an *execInitField* method by clicking on the green plus icon next to this operation. The configuration of the map field can then be completed in section *Advanced Properties*. Here, we set the *Grid H* property to 6 and update the *Width in Pixel* property and the *Height in Pixel* property to a value of 400 each.

Listing 31. In the execInitField method of the map form the image content is fetched from the Google Maps API.

```
TODO include was {codedir}/oneDayTutorial/org.eclipse.scout.contacts.client/src/org
/eclipse.scout.contacts.client/ui/forms/MapForm.java[lines=115..133]
```

To add the Java code to display the map in the image field, click on the *execInitField* link in the Scout Object Properties of the map field. According to the implementation provided in [Listing execInitField](#), an URL for the Maps Image API is first constructed. This url also contains the content of the map form’s address variable and the configured dimension of the map field. The map picture returned by the Google API is then read using *IUtility.getContent* and directly fed into the image fields *setImage* method.

The last step involving the implementation of the map form feature is its integration into the person form. As visible on the lower left part of the person form shown in [\[img-my_contacts_swt\]](#), a *Show Map ...* link is available. We now add such a link to the person form including the necessary wiring for opening the newly created map form. For this, navigate to the person form in the Scout SDK and click on its *MainBox* node below. Then, open the context menu on the *MainBox* node and start the *New Form Field* wizard. In the first wizard step, select the *LinkButton* from the available field types and click the **[Next]** button to load the second wizard step. Here, just enter the new translated text “Show Map ...” into the *Name* field and close the wizard with the **[Finish]** button.

Listing 32. The implementation of the “Show Map ...” link button. %In method `execClickAction` a new map form is first created, the the address variable is set with the content of the person’s location and the form is opened with `startModify`.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/forms/PersonForm.java[lines=347..362]
```

To add the necessary wiring code to the link button double click the `ShowMapButton` node in the Scout Explorer and implement its `execClickAction` method. As shown in [Listing ShowMapButton](#), we only need to create a new map form in the click action, set its address variable and open the form with `form.startModify`.

5.9. Managing Person Data on the Server Side

Listing 33. The `execLoad` and the `execStore` methods of the person form’s modify handler.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/forms/PersonForm.java[lines=364..384]
```

In the “My Contacts” client application the person form is opened via the context menus “Edit Person ...” and “New Person ...” on the person page. And for each context menu, the person form is started with the corresponding form handler. The new handler is used to start the form in the mode to create new persons while the modify handler is implemented to start the form for updating existing persons. When we look at the implementation of the modify handler provided in [Listing ModifyHandler](#), we see that it only contains the two methods `execLoad` and `execStore`. As described in Section [Form Handler](#) of the “Hello World” tutorial, `execLoad` is called by the Scout framework when the form is started. And method `execStore` is called by the Scout framework after the user has clicked the **[OK]** button of a form.

Listing 34. The load and the store methods of the server’s `PersonService`.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/ui/forms/PersonService.java[lines=24..25;55..104]
```

In both the `execLoad` and the `execStore` methods, the person service is used. In `execLoad` by calling `service.load` to fetch the person’s data from the Scout server, and in `execStore` by calling `service.store` to transfer the updated data to the Scout server. The implementation of the Scout server’s load and store methods for the `PersonService` is provided in [Listing PersonService load and store](#). To load the correct person data, the load method expects the person’s id as an input parameter `personId` in the `formData`.

For the data binding between the `formData` and the attributes in the database tables Scout provides support in the methods of the SQL class. This support is first searching for the pattern “:<variable>” in the provided SQL statement. For all such patterns found, the binding to the corresponding `getVariable` and `setVariable` methods of the form data object is performed by the Scout framework

at runtime.

The implementation of the person form's new handler is implemented similar to its modify handler. Instead of calling the service operations load and store, the methods `prepareCreate` and `create` are used. In principle, method `prepareCreate` is not needed for the "My Contacts" application. As its implementation has been created by the Scout SDK wizard, it does not do any harm and the method can be left unchanged.

Listing 35. The create method of the server's PersonService.

```
TODO include was {codedir}/oneDayTutorial/org.eclipse.scout.contacts.server/src/org
/eclipse.scout.contacts.server/ui/forms/PersonService.java[lines=24..25;35..54;103..104
]
```

In [Listing PersonService create](#) the implementation of the PersonService's create method is provided. First, the implementation checks if the provided form data contains a person id. If the person has been entered manually, a person id is initially missing and a new one needs to be created and assigned. For this, method `randomUUID()` of the Java class `java.util.UUID` is used. The only responsibility of the INSERT statement following the person id check is to make sure we will have a row in the PERSON table for the person to be created. To save all the other form data parameters, we can reuse the previously implemented store method.

5.10. Creating the Company Form

Creating the company form and the necessary backend services is not described here. Instead, this task is left as an exercise to the reader and in the text below some minimal guidelines are provided.

To create the company form, start with the *New Form* wizard as in the case of the person form. This will then create all necessary artefacts including the forms, the server service, and the form data for the communication between the client and the server. And don't forget to add a `companyId` variable to the company form. To decide on the fields that need to be on the company form you may check the setup of the database schema provided in [Listing COMPANY table setup](#). If in doubt about what to do, please refer to the procedure used to create the person form.

In case you get lost completely, you may download the "My Contacts" application from this book's Github repository as described in the Scout wiki. [53: Download and installation of the "My Contacts" application: http://wiki.eclipse.org/Scout/Book/4.0#Download_and_Run_the_Scout_Sample_Applications.]

5.11. Adding the Scribe Library to the Application

To access data from sites such as LinkedIn, Xing, Google+ or Facebook, most social networks provide an API that requires user authentication. The current defacto standard for such authentication is the Open Authentication Protocol (OAuth). [54: For more information regarding the OAuth standard, see: <http://oauth.net/>]

The big advantage of the OAuth standard is the authentication based on access tokens. If an

application such as the “My Contacts” example is in possession of an access token, it can fetch data from the hosting site or even act on the users behalf. The access token itself just contains two values, the token and the secret. And both values are completely separate from the user’s username and password credentials. This means that an access token may be safely stored in other applications. Should such an application or its data get compromised, the username and password are still save and the user just has to remove/invalidate the compromised access token.

For the “My Contacts” application we use the Scribe Java library. [55: The Scribe OAuth Java library: <https://github.com/fernandezpablo85/scribe-java>.] This library makes accessing social services very simple. At the same time the Scribe library is used here to demonstrate the integration of external Java libraries in Scout applications.





Figure 84. Add a new bundle to hold the Scribe JARs.






Figure 85. Specify the JARs to be contained in the library bundle and the library name.

As we will use the Scribe library only on the Scout server side start the Scout SDK *New Library Bundle* wizard below the blue server node as shown in Figure 000. In the first wizard step shown on the left side of Figure 000 add the files `scribe-1.3.5.jar` and `commons-codec-1.9.jar`. [56: See the getting started page for more information regarding the two necessary JAR file: <https://github.com/fernandezpablo85/scrive-java/wiki/getting-started>.] using the **[Add]** button. Once the two JAR files are listed in the library list of the wizard click the **[Next]** button. On the second wizard step, enter “org.scribe” into the *Bundle Name* field as shown on the right side of Figure 000. Then, close the wizard with the **[Finish]** button.

The Scout SDK wizard then creates the corresponding library plugin and updates the server product files and the plugin dependencies of the applications server plugin accordingly. Once the wizard has completed the classes defined in the two JAR files can directly be accessed from the “My Contact” application’s server plugin.

5.12. Integrating LinkedIn Access with Scribe

Listing 36. The *LinkedInService* service with its *initializeService* method defined in the *IService* interface.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/LinkedInService.java[lines=38..57;195..196]
```

To access the LinkedIn data with Scribe we first create a new service *LinkedInService* with the *New*

Service wizard in the *Services* folder under the blue server node. In the wizard, enter “LinkedIn” into the *Class Name* field and “services” into the *Sub Package* field. Before we add any service operations to the LinkedIn service, the service initialization method is implemented according to [Listing LinkedInService initialize](#). This initialization is not discussed further here. Instead, the interested reader is referred to the corresponding `LinkedInExample` on the Scribe web pages. [57: For the Scribe `LinkedInExample.java` example class see: <https://github.com/fernandezpablo85/scribe-java/blob/master/src/test/java/org/scribe/examples/LinkedInExample.java>.]





Figure 86. Add the operation to retrieve an authentication URL.

Listing 37. The `getAuthUrl` method of the `LinkedIn` service.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/LinkedInService.java[lines=58..65]
```

The first service operation `getAuthUrl` is added according to [Figure 000](#). This operation will return the necessary information to create a request token and provides a link to open in a web browser to start the authentication against the LinkedIn account. For its implementation see [Listing LinkedInService getAuthUrl](#).

New Service Operation
Create a new Service Operation.

Operation Name:

Return Type:

Name Arg 1: Type:

Name Arg 2: Type:

New Service Operation
Create a new Service Operation.

Operation Name:

Return Type:

Name Arg 1: Type:

Name Arg 2: Type:

Figure 87. Add the operations to refresh the access token and to update the LinkedIn contacts.

The next operations we add are used to refresh the users access token stored in the “My Contacts” application and to refresh or download the users contacts stored in the user’s LinkedIn account. See [Figure 000](#) for the necessary details for the creation of the two methods. The *New Service Operation* wizard only allows to provide two parameters. As we need three parameters for the method `refreshToken`, we have to amend the security code parameter manually. For this, first update the interface `ILinkedInService` and amend the parameter list with the additional `String` parameter

securityCode. Then, open class `LinkedInService` and add the String parameter `securityCode` according to interface just updated before.

Listing 38. The `refreshToken` method is used to create a new access token to fetch data from the LinkedIn API.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/LinkedInService.java[lines=66..98]
```

Method `refreshToken` can now be implemented according to [Listing LinkedInService refreshToken](#). Using the provided token parameters and the security code, the access token is created using the `m_service.getAccessToken` method. Then, the user id of the currently logged in user is obtained with `ServerSession.get().getUserId()`. Once we have both the access token and the user id available in method `{refreshToken}`, we can store the token and the secret values for the current user in table `USERS_PARAM` according to [Listing LinkedInService refreshToken](#).

Listing 39. The `readContacts` method to fetch the users connection using the LinkedIn API. The necessary access token is created in method `getToken` based on the information stored in the database for the logged in user.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/LinkedInService.java[lines=136..166]
```

Listing 40. The necessary access token is created in method `getToken` based on the information stored in the database for the logged in user.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/LinkedInService.java[lines=168..195]
```


The next step is to add a method `readContacts` to fetch the list of contacts from a LinkedIn account. According to [Listing LinkedInService readContacts](#), this private `LinkedInService` method reads the data from LinkedIn into a DOM tree. [58: DOM stands for Document Object Model. See <http://www.w3.org/DOM/> for more information.]. For this, a signed OAuth request is first created using the access token provided by method `getToken` according to [Listing LinkedInService getToken](#). The request specified by constant `LINKEDIN_CONNECTIONS` is defined as `http://api.linkedin.com/v1/people/textasciitilde/connections`. According to the API specification. [59: See the LinkedIn API documented for more specific information: <https://developer.linkedin.com/documents/linkedin-api-resource-map>.], this returns all connections of the user in the response. The response in the form of an XML document can then be parsed and returned in the form of a node list.

To sign the request to fetch the data from LinkedIn, the access token is retrieved from the database of the “My Contact” application using method `getToken`. According to the implementation provided in [Listing LinkedInService readContacts](#) the user id is first obtained from the user’s server session. The necessary parameters to create the access token are then retrieved from the `USERS_PARAM` table.

Listing 41. Sample XML from LinkedIn XML content.

```
<?xml version="1.0" encoding="UTF-16"?>
<person>
  <id>f7R6wGcblj</id>
  <first-name>Mike</first-name>
  <last-name>Milinkovich</last-name>
  <headline>Executive Director at Eclipse Foundation</headline>
  <picture-url>http://m3.lidn.com/mpr/mprx/0_IUM7Se9vBU...SbRbQZ4</picture-url>
  <site-standard-profile-request>
    <url>http://www.linkedin.com/profile/view?id=14949387...05720*s114280*</url>
  </site-standard-profile-request>
  <location>
    <name>Ottawa, Canada Area</name>
    <country>
      <code>ca</code>
    </country>
  </location>
  <industry>Computer Software</industry>
</person>
```

Before we proceed, we take a look at the actual form of the data that will be provided by the LinkedIn API. From the sample XML extract provided in [Listing XML sample](#), we can identify the person id f7R6wGcblj, the first name Mike and some other attribute names with associated attribute values. A closer look reveals the identity of the person to be Mike Milinkovich, a well known character in the Eclipse community. For the purpose of the “My Contacts” application it is sufficient to be able to extract the top-level elements that hold the name, headline, and location information. As the location string is contained in a name element inside the location element of the person, we need to be able to extract the content of either top level elements or the level directly below. To simplify access to this data provided by the LinkedIn API we implement a small helper class named DomUtility.






Figure 88. Adding the DomUtility class to the server package.

Listing 42. The DomUtility class provides functions to parse the XML data structure provided by the LinkedIn API.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/DomUtility.java[lines=16..48]
```

For adding the class DomUtility, the Eclipse *New Java Class* wizard can be used according to [Figure 000](#). This wizard can be started by pressing the **CTRL+n** keys. In the first wizard step select the class element under the Java folder and click the **[Next]** button. And in the second wizard step ensure that the new class will be created in the org.eclipsescout.contacts.server.services package. Then enter “DomUtility” into the *Name* field and close the wizard with the **[Finish]** button. The implementation of the class is provided in [Listing DomUtility](#). Before the class can be saved, the necessary imports need to be fixed by pressing **CTRL+SHIFT+o** and selecting the components provided in the org.w3c.dom packages.

Listing 43. The `updateContacts` method is used to enter/update existing contacts based on new data fetched from LinkedIn.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.server/src/org
/eclipsescout/contacts/server/services/LinkedInService.java[lines=99..135]
```

We now have finished all necessary parts to implement the method `updateContacts` of the server service `LinkedInService` according to [Listing updateContacts](#). In this method a service reference to the person process service is obtained first. Then, the LinkedIn contacts provided by method `readContacts` are stored in a persons list object. Finally, each person can be updated with the data available from LinkedIn. To update a single person the following steps are performed in the person loop. First, a form data is created and its id parameter is set to `DomUtility.getValue(person, "id")`. Using the load method of the person process service the person's attributes are loaded from the server's database. The LinkedIn attributes are then used to update the corresponding form data. With `service.create(formData)` the updated form data is then stored in the "My Contacts" database.

5.13. Fetching Contacts from LinkedIn

The screenshot shows a "New Form" dialog box with the following fields and options:

- Name:** Refresh LinkedIn Token
- Class Name:** RefreshLinkedInTokenForm
- Super Class:** AbstractForm
- Sub Package:** ui.forms
- Form Id:**
 - Create form Id
 - Property Name Id:** refreshLinkedInTokenNr

Navigation buttons at the bottom: < Back, Next >, Finish, Cancel.




Figure 89. Add the form to refresh the LinkedIn access token.

The last piece that is missing to complete the “My Contacts” application is the user interface for the LinkedIn integration. To allow the user to create/refresh an access token, we need to implement the refresh token form shown in [\[img-my_contacts_rayo_refresh\]](#) at the beginning of this chapter. To create the form code, we use the *New Form* wizard of the Scout SDK as shown in [Figure 000](#). For the *Name* field enter a new translated text “Refresh LinkedIn Token” and fill `ui.forms` into the *Sub Package* field. Then, click the **[Next]** button to switch to the second wizard step. Here, deselect the elements that will not be needed for the implementation of the refresh form according to the right hand side of [Figure 000](#). Once the form has been created by the wizard, add the a Token and a Secret form variable of type string under the form’s *Variables* folder.






Figure 90. The token form in the explorer and the properties of the security code field.

The next step is to add the desired layout and the necessary form fields. First, use the *New Form Field* wizard to add a new group box *TokenBox* to the *MainBox* node. And into the *TokenBox* add a “Security Code” string field as shown on the left hand side of [Figure 000](#). To provide a clickable link that opens a web browser with the LinkedIn authentication link, add a “Open Auth URL ...” link of type *LinkButton* to the main box. To make the user to first click the authentication link button before he tries to fill any content into the security code field we initially disable this field. For this, first click on the security code field in the Scout Explorer and then open the *Advanced Properties* section of the fields Scout Object Properties. As shown on the right side of [Figure 000](#), deselect the *Enabled* property.

Listing 44. The structure of the refresh token form. The security code field gets enabled in method `execClickAction` after the authentication link button is pressed.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/forms/RefreshLinkedInTokenForm.java[lines=29..30;113.
.133;142..158;195..196]
```

The implementation of the forms' structure is provided in [Listing RefreshLinkedInTokenForm](#). In the `execClickAction` method of the `OpenAuthURLButton` link button the necessary information for the auth link is obtained from the server. For this, we are using the `getAuthUrl` operation implemented in the previous section. The parameters to create the request token are saved in the form's token and secret variables. Then, the auth link is opened in a web browser with the `shellOpen` method of the client's shell service. Finally, after opening the web browser we can enable the security field with `getSecurityCodeField().setEnabled(true)`.






Figure 91. Add the menu to open the LinkedIn token form.

We can now integrate the form to refresh the LinkedIn access token under the applications “File” menu. This is done using the *New Menu* wizard as shown in [Figure 000](#). Enter the translated text “Refresh LinkedIn Token ...” into the wizard’s *Name* field and pick the element *Exit Menu [before]* from the dropdown box of the *Sibling* field. In the *Form to start* field select the newly created refresh token form and use the *NewHandler* entry in the *Form Handler* field. To close the wizard, click the **[Finish]** button.

Listing 45. The menu to refresh the LinkedIn token starts the token form and then sends token parameters with the new security code to the LinkedIn backend service.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org  
/eclipsescout/contacts/client/ui/desktop/Desktop.java[lines=88..114]
```

The implementation of the refresh menu is shown in [Listing RefreshLinkedInTokenForm](#). In method `execAction()`, we need to amend the part after starting the refresh token form. If the method `form.isFormStored()` returns true, the user has modified the secure code field and it is fair to assume that the user wants to create/refresh his LinkedIn access token. For this, we first retrieve the necessary parameters to call the backend service operation `refreshToken` implemented in the previous chapter.





Figure 92. Add the menu to update the LinkedIn contacts.

Listing 46. The menu to update the stored persons with current LinkedIn data.

```
TODO include was {codedir}/oneDayTutorial/org.eclipsescout.contacts.client/src/org
/eclipsescout/contacts/client/ui/desktop/Desktop.java[lines=154..171]
```

As the last missing component of the “My Contacts” application, we add the menu to fetch the LinkedIn contacts and update the database accordingly. The menu entry is created as a sub menu of the “Tools” menu. For this, use the new menu wizard on the *ToolsMenu* node as shown in [Figure 000](#). The implementation of the menu’s *execAction* method shown in [Listing](#)

[RefreshLinkedInToken_Menu](#) is trivial. We only need to call the operation of the LinkedInService implemented in the server part of the “My Contacts” application.

Appendix A: Licence and Copyright

This appendix first provides a summary of the Creative Commons (CC-BY) licence used for this book. The licence is followed by the complete list of the contributing individuals, and the full licence text.

A.1. Licence Summary

This work is licensed under the Creative Commons Attribution License. To view a copy of this license, visit <https://creativecommons.org/licenses/by/3.0/> or send a letter to Creative Commons, 559 Nathan Abbott Way, Stanford, California 94305, USA.

A summary of the license is given below, followed by the full legal text.

You are free:

- **to Share** ---to copy, distribute and transmit the work
- **to Remix**---to adapt the work
- to make commercial use of the work

Under the following conditions:

Attribution ---You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).

With the understanding that:

Waiver ---Any of the above conditions can be waived if you get permission from the copyright holder.

Public Domain ---Where the work or any of its elements is in the public domain under applicable law, that status is in no way affected by the license.

Other Rights ---In no way are any of the following rights affected by the license:

- Your fair dealing or fair use rights, or other applicable copyright exceptions and limitations;
- The author's moral rights;
- Rights other persons may have either in the work itself or in how the work is used, such as publicity or privacy rights.

Notice ---For any reuse or distribution, you must make clear to others the license terms of this work. The best way to do this is with a link to <https://creativecommons.org/licenses/by/3.0/>.

A.2. Contributing Individuals

Copyright (c) 2012-2014.

In the text below, all contributing individuals are listed in alphabetical order by name. For

contributions in the form of GitHub pull requests, the name should match the one provided in the corresponding public profile.

Bresson Jeremie, Fihlon Marcus, Nick Matthias, Schroeder Alex, Zimmermann Matthias

A.3. Full Licence Text

The full licence text is available online at <http://creativecommons.org/licenses/by/3.0/legalcode>

Appendix B: Scout Installation

B.1. Overview

This chapter walks you through the installation of Eclipse Scout. The installation description (as well as the rest of this book) is written and tested for Eclipse Scout 6.0 which is delivered as integral part of the Eclipse Neon release train, 2016. Detailed information regarding the scheduling of this release train is provided in the Eclipse wiki. [60: Luna release plan: http://wiki.eclipse.org/Neon/Simultaneous_Release_Plan].

We assume that you have not installed any software relevant for the content of this book. This is why the Scout installation chapter starts with the installation of the Java Development Kit (JDK). Consequently, you will have to skip some of the sections depending on your existing setup.

In the text below, installation routines are described separately for Windows, Mac, and Linux.

B.2. Download and Install a JDK

The first step to install Scout is to have an existing and working installation of a JDK version 8.

Currently, we recommend to install the Oracle JDK 8 together with Scout. Although, using OpenJDK with Scout should work too. To successfully install the JDK you need to have at least local admin rights. You also need to know your hardware architecture in order to download the correct JDK installer.

For Windows, the steps necessary to determine your hardware architecture are described on Microsoft's support site. [61: Windows 32/64-bit installation: <http://support.microsoft.com/kb/827218>]. For Linux several ways to determine if your os is running with 32 or with 64 bits can be found on the web. [62: Linux 32/64-bit installation example page: <http://mylinuxbook.com/5-ways-to-check-if-linux-is-32-bit-or-64-bit/>] For Mac this step is simple, as only a 64 bit package is provided on JDK the download page.

Once you know your hardware architecture, go to Oracle's official download site. [63: Official JDK 8 download: <http://www.oracle.com/technetwork/java/javase/downloads/jdk8-downloads-2133151.html>] and accept the licence agreement by clicking on the appropriate radio button. Then, select the *Windows x64* package if you are running 64-bit Windows as shown in [Figure 000](#). If you are running 32-bit Windows, go for the *Windows x86* package. It is also recommended to download the *Java SE 7 Documentation*. The Java API documentation package is available from the official download site. [64: Java API documentation download: <http://www.oracle.com/technetwork/java/javase/downloads/index.html>], located further down under section *Additional Resources*.

Java SE Development Kit 8 Downloads

Thank you for downloading this release of the Java™ Platform, Standard Edition Development Kit (JDK™). The JDK is a development environment for building applications, applets, and components using the Java programming language.

The JDK includes tools useful for developing and testing programs written in the Java programming language and running on the Java platform.

See also:

- [Java Developer Newsletter](#): From your Oracle account, select **Subscriptions**, expand **Technology**, and subscribe to **Java**.
- [Java Developer Day hands-on workshops \(free\) and other events](#)
- [Java Magazine](#)

JDK 8u77 Checksum

Java SE Development Kit 8u77

You must accept the [Oracle Binary Code License Agreement for Java SE](#) to download this software.

Accept License Agreement **Decline License Agreement**

Product / File Description	File Size	Download
Linux ARM 32 Soft Float ABI	77.7 MB	jdk-8u77-linux-arm32-vfp-hflt.tar.gz
Linux ARM 64 Soft Float ABI	74.68 MB	jdk-8u77-linux-arm64-vfp-hflt.tar.gz
Linux x86	154.74 MB	jdk-8u77-linux-i586.rpm
Linux x86	174.92 MB	jdk-8u77-linux-i586.tar.gz
Linux x64	152.76 MB	jdk-8u77-linux-x64.rpm
Linux x64	172.96 MB	jdk-8u77-linux-x64.tar.gz
Mac OS X	227.27 MB	jdk-8u77-macosx-x64.dmg
Solaris SPARC 64-bit (SVR4 package)	139.77 MB	jdk-8u77-solaris-sparcv9.tar.Z
Solaris SPARC 64-bit	99.06 MB	jdk-8u77-solaris-sparcv9.tar.gz
Solaris x64 (SVR4 package)	140.01 MB	jdk-8u77-solaris-x64.tar.Z
Solaris x64	96.18 MB	jdk-8u77-solaris-x64.tar.gz
Windows x86	182.01 MB	jdk-8u77-windows-i586.exe
Windows x64	187.31 MB	jdk-8u77-windows-x64.exe

Figure 93. Installer download for Oracle JDK 8.

Once you have successfully downloaded the JDK installer, follow the Windows installation guide. [65: Install the JDK on Windows: <http://docs.oracle.com/javase/7/docs/webnotes/install/windows/jdk-installation-windows.html#Run>]. To verify the installation you might want to go through this Java “Hello World!” tutorial. [66: Windows Java “Hello World!”: <http://docs.oracle.com/javase/tutorial/getStarted/cupojava/win32.html>].

Installation instructions for Linux. [67: Install the JDK on Linux: <http://docs.oracle.com/javase/7/docs/webnotes/install/linux/linux-jdk.html>] and Mac. [68: Install the JDK on Mac: <http://docs.oracle.com/javase/7/docs/webnotes/install/mac/mac-jdk.html>.] are also available from Oracle.

B.3. Download and Install Scout

Before you can install Scout make sure that you have a working Java Development Kit (JDK) installation version 8. To download the Eclipse Scout package visit the official Eclipse download page as shown in [Figure 000](#).




Figure 94. The Eclipse download page. The platform filter is set to Windows and the available Packages are filtered for Scout.

If the download page shows the wrong platform, manually select the correct platform in the dropdown list. As shown in Figure 000, the Scout package is available as a 32 bit and a 46 bit package. Make sure to pick the package that matches your JDK installation. You can check your installation on the command line as follows.

```
console-prompt>java -version
java version "1.8.0_77"
Java(TM) SE Runtime Environment (build 1.8.0_77-b28)
Java HotSpot(TM) 64-Bit Server VM (build 25.77-b28, mixed mode)
```

If the output explicitly mentions the 64 bit installation as shown above, you have a 64 bit installation. Otherwise, you have a 32 bit JDK installed. Now you can select the correct Scout package from the Eclipse download site. After the package selection, confirm the suggested download mirror as shown in Figure 000.




Figure 95. Downloading the Scout package from a mirror.

As the Scout package is a simple ZIP (or tar.gz) file, you may unpack its content to a folder of your choice. Inside the eclipse sub-folder, you will then find the Eclipse executable file, such as the `eclipse.exe` file on a Windows platform. Starting the Eclipse executable brings up the workspace launcher as shown in Figure 000.




Figure 96. Starting the Eclipse Scout package and selecting an empty workspace.

Into the *Workspace* field you enter an empty target directory for your first Scout project. After clicking the [Ok] button, the Eclipse IDE creates any directories that do not yet exist and opens the specified workspace. When opening a new workspace for the first time, Eclipse then displays the welcome screen shown in Figure 000.




Figure 97. Eclipse Scout welcome screen.

To close the welcome page and open the Scout perspective in the Eclipse IDE click on the *Workbench* icon. As a result the empty Java perspective is displayed according to [Figure 000](#).




Figure 98. Eclipse Scout started in the Scout SDK perspective.

Congratulations, you just have successfully completed the Eclipse Scout installation!

If you have only installed a single JDK you will not need to change the default `eclipse.ini` file of your Eclipse installation. In case you have installed multiple JDKs coming with their individual Java Runtime Environments (JREs), you might want to explicitly specify which JRE to use. Open the file `eclipse.ini` in a editor of your choice and insert the following two lines at the top of the file:

```
-vm
C:\java\jdk1.8.0_77_x64\jre\bin\server\jvm.dll
```

where the second line specifies the exact path to the JRE to be used to start your Eclipse Scout installation.

If you have explicitly specified the JRE to be used you verify this in the running Eclipse installation. First, select the **Help** | **About Eclipse** menu to open the about dialog. Then, click on the **[Installation Details]** button and switch to the *Configuration* tab. In the long list of system properties you will find lines similar to the ones shown below.

```
*** Date: Donnerstag, 19. Juni 2014 10:37:17 Normalzeit

*** Platform Details:

*** System properties:
...
-vm
C:\java\jdk1.8.0_77_x64\jre\bin\server\jvm.dll
...
sun.java.command=... vm C:\java\jdk1.8.0_77_x64\jre\bin\server\jvm.dll -vmargs ...
```

You have now successfully completed the Eclipse Scout installation on your Windows environment. With this running Scout installation you may skip the following section on how to add Scout to an existing Eclipse installation.

B.4. Add Scout to your Eclipse Installation

This section describes the installation of Scout into an existing Eclipse installation. As the audience of this section is assumed to be familiar with Eclipse, we do not describe how you got your Eclipse installation in the first place. For the provided screenshots we start from the popular package *Eclipse IDE for Java EE Developers*.




Figure 99. Eclipse menu to install additional software

To add Scout to your existing Eclipse installation, you need to start Eclipse. Then select the **Help | Install New Software...** menu as shown in [Figure 000](#) to open the install dialog.




Figure 100. Add the current Scout repository

In the install dialog, click on the [**Add...**] button to enter the link to the Scout repository. This opens the popup dialog *Add Repository* As shown in [Figure 000](#), you may use “Scout Luna” for the *Name* field. For the *Location* field enter the Scout release repository as specified below. <http://download.eclipse.org/scout/releases/4.0>.




Figure 101. Select the Scout features to add to the Eclipse installation

After the Eclipse IDE has connected to the Scout repository, select the Scout feature *Scout Application Development* as shown in Figure 000. Then, move through the installation with the **[Next]** button. On the last installation step, accept the presented EPL terms by clicking on the appropriate radio button. To complete the installation, click the **[Finish]** button and accept the request for a restart of Eclipse. After the restart of the Eclipse IDE, you may add the Scout perspective using the **Window | Open Perspective | Other ...** menu and selecting the Scout perspective from the presented list. Clicking on the Scout perspective button should then result in a state very similar to Figure 000.

B.5. Verifying the Installation

After you can start your Eclipse Scout package you need to verify that Scout is working as intended. The simplest way to verify your Scout installation is to create a “Hello World” Scout project and run the corresponding Scout application as described in Chapter “[Hello World](#)” Tutorial.

Appendix C: Apache Tomcat Installation

Apache Tomcat is an open source web server that is a widely used implementation of the Java Servlet Specification. Specifically, Tomcat works very well to run Scout applications. In case you are interested in getting some general context around Tomcat you could start with the Wikipedia article. [69: Apache Tomcat Wikipedia: http://en.wikipedia.org/wiki/Apache_Tomcat]. Then get introduced to its core component “Tomcat Catalina”. [70: Mulesoft’s introduction to Tomcat Catalina: <http://www.mulesoft.com/tomcat-catalina>.] before you switch to the official Tomcat homepage. [71: Apache Tomcat Homepage: <http://tomcat.apache.org/>].

This section is not really a step by step download and installation guide. Rather, it points you to the proper places for downloading and installing Tomcat. We recommend to work with Tomcat version 8.0. Start your download from the official download site. [72: Tomcat 8 Downloads: <http://tomcat.apache.org/download-80.cgi>].




Figure 102. A successful Tomcat 7 installation.

Once you have downloaded and installed Tomcat 8 (see the sections below for platform specific guidelines) you can start the corresponding service or daemon. To verify that Tomcat is actually running open a web browser of your choice and type <http://localhost:8080> into the address bar. You should then see a confirmation of the successful installation according to Figure 000.

C.1. Platform Specific Instructions

According to the Tomcat setup installation for Windows. [73: Tomcat Windows setup: <http://tomcat.apache.org/tomcat-8.0-doc/setup.html#Windows>] download the package “32-bit/64-bit Windows Service Installer” from the [Tomcat 8 download site](#). Then, start the installer and accept the proposed default settings.

For installing Tomcat on OS X systems download the “tar.gz” package from the [Tomcat 8 download site](#). Then, follow the installation guide. [74: Installing Tomcat on OS X: <http://wolfpaulus.com/journal/mac/tomcat8>] provided by Wolf Paulus.

For Linux systems download the “tar.gz” package from the [Tomcat 8 download site](#). Then, follow the description of the Unix setup. [75: Tomcat Linux setup: http://tomcat.apache.org/tomcat-8.0-doc/setup.html#Unix_daemon] to run Tomcat as a daemon. If you use Ubuntu, you may want to

follow the tutorial. [76: Apache Tomcat Tutorial: <http://www.vogella.com/articles/ApacheTomcat/article.html>] for downloading and installing Tomcat provided by Lars Vogel.

C.2. Directories and Files

Tomcat's installation directory follows the same organisation on all platforms. Here, we will only introduce the most important aspects of the Tomcat installation for the purpose of this book.




Figure 103. The organisation of a Tomcat installation including specific files of interest. As an example, the “Hello World” server application is contained in subdirectory `webapps`.

Note that some folders and many files of a Tomcat installation are not represented in Figure 000. We just want to provide a basic understanding of the most important parts to operate the web server in the context of this book. In the `bin` folder, the executable programs are contained, including scripts to start and stop the Tomcat instance.

The `conf` folder contains a set of XML and property configuration file. The file `server.xml` represents Tomcat's main configuration file. It is used to configure general web server aspects such as the port number of its connectors for the client server communication. For the default setup, port number 8080 is used for the communication between clients applications and the web server. The file `tomcat-users.xml` contains a database of users, passwords and associated roles.

Folder `logs` contains various logfiles of Tomcat itself as well as host and web application log files. XXX need to provide more on what is where (especially application logs and exact setup to generate log entries from scout apps).

The folder needed for deploying web applications into a Tomcat instance is called `webapps`. It can be used as the target for copying WAR files into the web server. The installation of the WAR file then extracts its content into the corresponding directory structure as shown in Figure 000 in the

case of the file `helloworld_server.war`.

Finally, folder `work` contains Tomcat's runtime "cache" for the deployed web applications. It is organized according to the hierarchy of the engine (Catalina), the host (localhost), and the web application (`helloworld_server`).

C.3. The Tomcat Manager Application

Tomcat comes with the pre installed "Manager App". This application is useful to manage web applications and perform tasks such as deploying a web application from a WAR file, or starting and stopping installed web applications. A comprehensive documentation for the "Manager App" can be found under the Tomcat homepage. [77: The Tomcat Manager Application: <http://tomcat.apache.org/tomcat-8.0-doc/manager-howto.html>]. Here we only show how to start this application from the homepage of a running Tomcat installation.

To access this application you can switch to the "Manager App" with a click on the corresponding button on the right hand side. The button can be found on the right hand side of [Figure 000](#). Before you are allowed to start this application, you need to provide username and password credentials of a user associated with Tomcat's `manager-gui` role.

```
<tomcat-users>
  <!--
  NOTE: By default, no user is included in the "manager-gui" role required
  to operate the "/manager/html" web application. If you wish to use it
  you must define such a user - the username and password are arbitrary.
  -->
  <user name="admin" password="s3cret" roles="manager-gui"/>
</tomcat-users>
```

To get at user names and passwords you can open file `tomcat-users.xml` located in Tomcat's `conf` directory. In this file the active users with their passwords and associated roles are stored. See [Listing \[lst-tomcat.users\]](#) for an example. From the content of this file, we see that user `admin` has password `s3cret` and also possesses the necessary role `manager-gui` to access the "Manager App". If file `tomcat-users.xml` does not contain any user with this role, you can simply add new user with this role to the existing users. Alternatively, you also can add the necessary role to an existing user. Just append a comma to the existing right(s) followed by the string `manager-gui`. Note that you will need to restart your Tomcat application after adapting the content of file `tomcat-users.xml`.

With working credentials you can now start the "Manager App" as described the "Hello World" tutorial in [Section Deploying to Tomcat](#).



Do you want to improve this document? Have a look at the [sources](#) on GitHub.