

Eclipse Scout: Migration Guide

Table of Contents

About This Document	2
API Changes (Java)	2
Text Provider Service	2
Mnemonics	2
getFocusOwner	3
FinalValue	3
@PostConstruct	3
Desktop	3
Tree	3
Table	3
CookieUtility	4
Pair	4
Customizing CSP directives	4
StringUtility.contains() deprecated	5
BrowserInfo	5
Virtual Tree Node	5
Enabled Property of Form Fields	6
Icons in Tree	6
NumberUtility.nvl(), DateUtility.nvl(), StringUtility.nvl()	7
StringUtility.substituteWhenEmpty()	7
CompareUtility	7
ThreadInterrupted-, TimedOut- and FutureCancelledExceptions ("extends java.lang.RuntimeException") are now PlatformErrors ("extends java.lang.Error")	7
Type of "labelPosition" property changed to "byte" (IFormField)	7
IDeviceTransformer	7
API Changes (JS)	8
scout.graphics.prefSize()	8
scout.ModelAdapter	8
scout.ModelAdapter._send()	9
scout.Widget	10
Changes in "objectType" syntax and scout.create()	10
Changed behavior of scout.HtmlComponent() constructor function	11
Popup: Renamed option "installFocusContext" to "withFocusContext"	11
Other Changes	11
CSP report URL	12
Reorganized *.html files due to strict CSP rules	12

Renamed *.css files to *.less	14
UiHttpSessionListener replaced by HttpSessionMutex	14
Version check on startup	14
Run Contexts & HttpServiceTunnel	15
JMS connection failover	15



This document is referring to a past Scout release. Please click [here](#) for the recent version.

Looking for something else? Visit <https://eclipsescout.github.io> for all Scout related documentation.

About This Document

This document describes all relevant changes **from Eclipse Scout 6.0 to Eclipse Scout 6.1**. If existing code has to be migrated, instructions are provided here.

API Changes (Java)

Text Provider Service

The method `AbstractDynamicNlsTextProviderService#getDynamicNlsBaseName` has been made public. Adjust the method in your text provider service accordingly.

Mnemonics

Mnemonics are not supported anymore. All affected texts were either edited or removed because they are not used anymore.

Migration: Remove all mnemonics (`&`) from your text files as they will not be considered anymore. Replace `&&` with `&`. (`&&` was used to escape the mnemonic behaviour and display a single `&` in a text.)

The following methods were or will be removed:

- `StringUtility.removeMnemonic`
- `StringUtility.getMnemonic`
- `IAction.PROP_TEXT_WITH_MNEMONIC`
- `IAction.PROP_MNEMONIC`
- `IAction.getTextWithMnemonic`
- `IAction.getMnemonic`
- `strings.removeMnemonic`
- `strings.removeAmpersand`

getFocusOwner

Method `getFocusOwner()` was removed from `IDesktop`, `IForm` and `DesktopEvent`. Since replacing the old rich client ui technologies (swing, swt) with the modern html ui, this method didn't work correctly anymore.

There are no plans to implement correctly because of multiple reasons. It would increase network traffic between browser and ui server and also would be quite unreliable. The old behaviour was a synchronous result from the ui (swing, swt), which was feasible in rich client environments. But with a distant browser, a realtime result is hard to achieve and might already be outdated by its arrival at the ui server.

If such functionality is needed, it has to be programmed with java script within the browser.

FinalValue

`setIfAbsent` has been renamed to `setIfAbsentAndGet`. `setIfAbsent` now returns a boolean denoting, if a value was set or not.

@PostConstruct

A method annotated with `@PostConstruct` in a Bean is now guaranteed to run exactly once. The constructor may still run more than once.

Desktop

Removed `setOutline(IOutline outline)`, use `activateOutline(IOutline outline)` instead.

Tree

Adjusted `execAutoCheckChildNodes`

The method `AbstractTree#execAutoCheckChildNodes` got two new parameters and the default implementation now considers `enabledNodesOnly` and does not always ignore disabled nodes.

Deprecated `getConfiguredMultiSelect()`

The method `AbstractTree.getConfiguredMultiSelect()` was marked as deprecated. Multiselection on trees was never supported by the UI even though the model suggested so. The method will be declared final in the next Scout release, with its default implementation returning false, in case multiselection support is added in a future release.

Table

Adjusted behavior of `Cell.setText()`

`Cell.setText(null)` has no effect anymore. The JavaScript table has been improved so that every column is now able to compute the text based on the value of a cell. This does only happen if no explicit text is provided which means `cell.setText(null)` would trigger that behavior. If you really want to set a value but no text, you can use `cell.setText("")` instead.

Removed `AbstractTableFieldData`

- With Scout 3.10.0 "Bean based TableData" had been introduced.
- With Scout 4.3.0 (Mars-M5) "Bean based TableData" became default.
- With Scout 6.0 (Neon), the SDK did not generate the FormData for "Array based TableData" anymore.

Now it is time to remove the support for the "Array based TableData" completely, see also https://bugs.eclipse.org/bugs/show_bug.cgi?id=496292. A description of the differences between these two approaches can be found here: <https://wiki.eclipse.org/Scout/Concepts/TableData>

`ITableHolder`

The class `ITableHolder` was part of the old array based table loaders which has been replaced with a bean based approach in the last release. Therefore the class `ITableHolder` has been removed. The constants that were present on that interface can be accessed using the interface `org.eclipse.scout.rt.client.ui.basic.table.ITableRow` from the client or `org.eclipse.scout.rt.platform.holders.ITableBeanRowHolder` from outside the client.

CookieUtility

`CookieUtility` was moved from `org.eclipse.scout.rt.ui.html` to `org.eclipse.scout.rt.server.commons`. Migrate by updating your imports. The Method `addCookie()` is now called `addPersistentCookie()`. Additional methods are available (to add a session cookie, or delete an existing cookie).

Pair

The `Pair` class was made abstract and two default implementations for a mutable pair (class `MutablePair`) and immutable pair (`ImmutablePair`) were added. Since the former `Pair` class was immutable, all occurrences were changed to use the new `ImmutablePair` class. Migrate by update all occurrences to use the new `ImmutablePair`.

Customizing CSP directives

The method `org.eclipse.scout.rt.server.commons.servlet.HttpServletControl.getCspDirectives()` is no longer available. CSP directives are now configured by the the bean `org.eclipse.scout.rt.server.commons.servlet.ContentSecurityPolicy`. To customize the rules, replace this bean with your own implementation and override the method `initDirectives()`. The bean provides fluent-style `withFooBar()` methods.

StringUtility.contains() deprecated

The method `StringUtility.contains()` was marked as deprecated and will be removed in the P-release. The method was often used incorrectly due to poor documentation and unconventional implementation. The utility provides multiple new methods that can be used as a replacement:

`containsString()`

null-safe variant of `String.contains()`

`containsStringIgnoreCase()`

like `containsString()`, but ignores capitalization. Make sure to read the JavaDoc!

`containsRegEx()`

checks if the given regular expression matches part of the given string (essentially, this method automatically adds `.*` on both sides of the regular expression)

`matches()`

null-safe variant of `String.matches()`, also allows to set the pattern flags

BrowserInfo

The class `BrowserInfo` was renamed to a more generic `HttpClientInfo` name, since the HTTP client can either be a browser, but may also be another server using the built-in HTTP client of the VM.

Further the `HttpClientInfo` instance for each request is cached on the current HTTP session, if a session is available. Use the new `HttpClientInfo get(HttpServletRequest request)` method to get the cached HTTP client info.

Virtual Tree Node

The Virtual tree node has been deleted. The main reason for this was because of table pages: If an `AbstractPageWithTable` contains a lot of rows, for each of them a child page is created. To have these child pages as lightweight as possible the virtual node was introduced. This node was created for each row and only after activating a row (click by the user) the real child page has been created.

Now instead of creating a virtual node first and probably the real page afterwards the real page is created directly. Therefore the instance creation of pages below table pages should be very fast and not perform any backend calls. To assure this it is recommended to move any expensive operation currently implemented in the `execInit()` method to `execCreateChildPages()` or `execPageActivated()`. Permission checks or similar operations, which use the `setVisibleGranted(boolean)` method, should be moved to the newly created `execCalculateVisible()` method. The default behavior is that the `execCalculateVisible` method is executed on instance creation. Subclasses of `AbstractPageWithTable` potentially have a large number of child pages. To avoid performance issues due to expensive permission checks, the `execCalculateVisible` for these children is only executed before loading the page data.

Furthermore to save memory it is recommended to create the tables below pages lazily. The table is created upon the first access to `IPage.getTable()`. Therefore try not to use `getTable()` in the page init

phase. Instead a new callback `execInitTable` is available to initialize the table at the moment it is created. There is also an overload `getTable(boolean)` that can be used to access the table without automatically creating it.

Enabled Property of Form Fields

The inheritance of the enabled property of form fields has been changed so that changing this property on a composite field does no longer automatically propagate the value to the children. Instead a form field is only considered to be enabled if all parent fields are enabled too.

To have the same behaviour you can use the method `formField.setEnabled(yourValue, true /* update parents */, true /* update children */)` which also propagates the value to parent and child fields. The same method also exists for the enabled-granted property: `formField.setEnabledGranted(yourValue, true, true)`. However often it may no longer be required to actively propagate the new value to children. Therefore it is recommended to check the business logic manually where possible.

Furthermore the meaning of property change listeners changed. Check all the listeners using the `org.eclipse.scout.rt.client.ui.form.fields.IFormField.PROP_ENABLED` property. This property is now only fired if the state of the form field itself has changed. If the enabled state of a parent field is modified, this property change event will no longer be fired. The actual enabled state of the field could have changed even though because the parents have an influence now. If the listener should also be notified about changes of the parents use the new property `org.eclipse.scout.rt.client.ui.form.fields.IFormField.PROP_ENABLED_COMPUTED`.

Icons in Tree

When the new Html UI was introduced the support for icons on tree nodes was dropped. But some projects really missed that feature so it was introduced again with this release. This means when your tree node provides an `iconId`, the UI will display the icon referenced by the ID. The tree supports bitmap and font-icons. Since there are Scout projects migrating from an older Scout version (before Html UI was introduced) to a Scout version with Html UI (but before 6.1) they may still have `iconIds` configured, but since these icons were never displayed in their application, they probably want to stick with that behavior without changing their `getConfiguredIconId()` methods. For that purpose the Session init property `showTreeIcons` was introduced. By default the property is false, which means you won't see icons in the Tree, even if your model has an `iconId` configured. Set the property to true, to enable the support for icons (this will be default starting from release 6.2.x). Example for `index.js`:

```
$(document).ready(function() {
  var app = new scout.RemoteApp();
  app.init({
    session: {
      showTreeIcons: true
    }
  });
});
```

NumberUtility.nvl(), DateUtility.nvl(), StringUtility.nvl()

The `nvl()` methods on `NumberUtility`, `DateUtility` and `StringUtility` were moved to a generic `ObjectUtility.nvl()`. The existing methods were deprecated and will be removed with next Scout release. Additionally the existing methods were restricted to use `Number` respectively `Date` only.

StringUtility.substituteWhenEmpty()

The existing methods was deprecated and will be removed with next Scout release. Use `StringUtility.hasText()` and `StringUtility.emptyIfNull()` or `StringUtility.nullIfEmpty()` instead.

CompareUtility

The various null-safe compare methods on `CompareUtility` were moved to the new generic `ObjectUtility`. The existing methods were deprecated and will be removed with next Scout release.

ThreadInterrupted-, TimedOut- and FutureCancelledExceptions ("extends java.lang.RuntimeException") are now PlatformErrors ("extends java.lang.Error")

There were circumstances where the cancellation of long-running actions did not work or lead to unpleasant behaviors (for example multiple `ExceptionForm`, that is displayed after a cancellation by the user). Most of time caught exceptions where the reason for such behaviors.

In order to get rid of those problems, we have decided that the former `RuntimeExceptions` will become `Errors` and therefore should no longer be swallowed by `catch (RuntimeException e)`. See [Eclipse Scout: Technical Guide](#) for more information about the new `Throwable` hierarchy.

Type of "labelPosition" property changed to "byte" (IFormField)

The type of the `labelPosition` property was changed from `int` to `byte`. This affects the setters, getters and `getConfiguredLabelWidth` methods. The position constants in `IFormField` were adjusted.

Occurrences where such methods were overridden need to be adjusted. Otherwise no changes should be necessary.

IDeviceTransformer

Some methods on `IDeviceTransformer` where changed. Projects with own contributions to the device transformation process must apply these changes accordingly.

Old method	New method	Description
—	<code>transformPageTable(table, page)</code>	New callback that can be used to transform the page's table. Unlike <code>transformPage</code> this method is not called during the <code>execInitPage</code> phase, but during the <code>execInitTable</code> phase.
<code>transformPageDetailForm(form)</code>	<code>notifyPageDetailFormChanged(form)</code>	The existing method was renamed to avoid confusion with <code>transformPageTable</code> and to clarify that this method is called every time, the desktop's detail form changes (not only when the detail form is first initialized).
<code>transformPageDetailTable(table)</code>	<code>notifyPageDetailTableChanged(table)</code>	The existing method was renamed to match the new method <code>notifyPageDetailFormChanged</code> and to clarify that this method is called every time, the desktop's detail table changes (not only when the detail table is first initialized).

API Changes (JS)

`scout.graphics.prefSize()`

The signature of JavaScript method `scout.graphics.prefSize()` has changed:

- Old: `scout.graphics.prefSize($elem, includeMargin, options)`
- New: `scout.graphics.prefSize($elem, options)`

The argument `includeMargin` was moved to the options object. See code documentation for a description of all options.

`scout.ModelAdapter`

If you have not created any custom widgets, you can skip this. If you only used `BeanFields` for customizing you can skip it as well.

Previously every widget with a corresponding part on the server extended `scout.ModelAdapter`. A model adapter is the connector with the server, it takes the events sent from the server and calls the corresponding methods on the widget. It also sends events to the server whenever an action happens on the widget. To make the widgets usable without a server, they don't extend from `scout.ModelAdapter` anymore but directly from `scout.Widget`. That means every widget with a server counter part have been separated into widget and model adapter, similarly to the server side where a `IJsonAdapter` exists for every model object. The model adapter creates the widget and attaches itself to it meaning it listens for events triggered by the widget and sends elected ones to the server.

It also takes the events from the server and calls the corresponding methods of the widget.

So if you created custom widgets you have to separate them as well. Create for each widget a separate file called the same way as the Widget + 'Adapter'. That adapter extends either directly from `scout.ModelAdapter` or from the corresponding adapter of the parent widget.

Example: You have created a `XyField.js` which extends from `FormField.js`. Now create a file called `XyFieldAdapter.js` and extend it from `FormFieldAdapter.js`.

You now have to move the server event handling methods to the adapter, if there are any at all. If your widget does not contain a method called `onModelAction`, you are fine. Beside these action events the server may send property change events as well. For every property change event the adapter will automatically call the corresponding setter method. If there is none it will call the generic method `Widget.setProperty` which eventually calls the `_sync` and `_render` methods of the property. So if your widget contains `_sync` methods they will still be called on a server property change like before. But now you should create a JS property event to inform other widgets by using `Widget._setProperty` (note the `_`). This was previously done automatically for every property which is still done if there is no `_sync` method. If there is one you have to take care of it by yourself.

For the opposite direction meaning events from UI to server you have to more or less replace the calls of `_send()` with `trigger()`. In the adapter you have to handle these widget events and call the `_send()` method accordingly. If it is a property change event it is even simpler. Just call `_addRemoteProperties` in the constructor of the model adapter for every property which should be sent to the server.

scout.ModelAdapter._send()

The signature of JavaScript method `scout.ModelAdapter._send()` has changed:

- Old: `scout.ModelAdapter._send(type, data, delay, coalesceFunc, noBusyIndicator)`
- New: `scout.ModelAdapter._send(type, data, options)`

Instead of passing individual arguments, pass all but the first two arguments in an options object: `* delay * coalesce * showBusyIndicator`

Old:

```
this._send('selected', eventData, null, function() { ... });
```

New:

```
this._send('selected', eventData, {  
  coalesce: function() { ... }  
});
```

scout.Widget

If you have not created any custom widgets, you can skip this.

destroy()

With the separation of widget and model adapter the destroy handling has been refactored. This means every widget may now be destroyed. Previously only the widgets which extended from `scout.ModelAdapter` could be destroyed. The big advantage is that every widget now behaves the same and that there finally is a counter part for the `_init()` called `_destroy()` which makes it possible to do cleanup like removing listeners.

For you it means you have to decide whether you want to destroy or only remove your widgets. A widget knows the following states:

1. initialized
2. rendered
3. removed
4. destroyed

You can remove and render the same widget as many times you want, but if you destroy it you may not use it again and you would have to create a new one. It eventually has to be destroyed though for a proper cleanup. Normally this is done by the parent widget, but in some rare cases you have to take care of it by your own.

So check all the occurrences of `YourWidget.remove()` and maybe replace them with destroy.

EventSupport

Every widget now installs the event support by default. Previously `_addEventSupport` had to be called in the constructor of the widget. This may now be removed.

KeyStrokeContext

The method `_addKeyStrokeContextSupport` has been removed. If your widget needs keystroke support override `_createKeyStrokeContext` and provide one. You can probably use the default `scout.KeyStrokeContext`. The parameter of `_initKeyStrokeContext` has been removed as well. Just use `this.keyStrokeContext` instead.

Changes in "objectType" syntax and scout.create()

The "objectType" is a string describing which JavaScript "class" to use when creating an object instance using `scout.create()` (roughly similar to a Java class name). To make the object factory more robust, the separator between the type and the model variant (e.g. defined by `@ModelVariant` annotation in Java) was change from `.` to `..`. The namespace separator remains `..`. This allows the following forms of object types:.

- `"StringField"`: name without namespace, i.e. a type in the default namespace (resolves to `scout.StringField`)
- `"myproject.StringField"`: namespace qualified name
- `"StringField:MyVariant"`: type with variant (resolves to `scout.MyVariantStringField`), can also be combined with a namespace

Migration: Check your `objectFactories.js` and `defaultValues.json` files (if you have any in your project) for types with variant and convert the separator from `.` to `::`.

Changed behavior of `scout.HtmlComponent()` constructor function

The constructor function `scout.HtmlComponent()` no longer links the `$comp` to the new instance. Instead, the static function `scout.HtmlComponent.install()` should be used to create a new `HtmlComponent` and link it to `$comp`. The constructor function should never be used anymore in custom code. (If you do, you will get errors.)

The new static method makes it clearer that it will alter the state of `$comp`. For a normal constructor, such behavior is unexpected and thus discouraged.

Migration: Check all `*.js` files in your project for occurrences of `new scout.HtmlComponent` and replace them with `scout.HtmlComponent.install`.

```
// Old, do not use anymore!  
this.$container = $parent.appendDiv('my-widget');  
new scout.HtmlComponent(this.$container, this.session);  
  
// New, change your code to this (no change in first line):  
this.$container = $parent.appendDiv('my-widget');  
scout.HtmlComponent.install(this.$container, this.session);
```

Popup: Renamed option `"installFocusContext"` to `"withFocusContext"`

The initialization option `installFocusContext` for `Popup.js` instances was renamed to `withFocusContext` to match the corresponding property name.

Migration: Check if your project explicitly sets `installFocusContext = false` in popup widget instance (created via `scout.create('scout.Popup', { ... })`) or in subclasses of `scout.Popup`. If it does, rename the option name to `withFocusContext`.

Other Changes

CSP report URL

By default, the `report-uri` for CSP violations is now called `/csp-report` (instead of `/csp.cgi`).

Reorganized *.html files due to strict CSP rules

The *.html files (index.html, login.html, logout.html etc.) have been changed to comply with the default Content Security Policy (CSP) rules.

The simplest way to migrate these files is to create them anew using the Scout SDK or maven archetype and compare them with your files. Otherwise, following this guide:

By default, inline `<script>` tags in HTML files are prohibited by CSP rules. Bootstrapping JavaScript code was therefore moved to dedicated *.js files in the `WebContent/res` folder. Existing projects using CSP have to manually perform the following steps:

1. Open each *.html file in `your.project.ui.html/src/main/resources/WebContent` folder and check if there are any inline script parts. Only `<script>` tags with embedded JavaScript code are considered "inline". Tags with a `src` attribute don't need to be changed.
2. Transfer the content of each script part to a *.js file in the `res` subdirectory (e.g. `index.html` ⇒ `res/index.js`) and delete the now empty `<script>` part. Note that the content has changed as well, to initialize the application the new app object has to be used (`scout.init` → `new scout.RemoteApp().init`, `scout.login.init` → `new scout.LoginApp().init`, `scout.logout.init` → `new scout.LogoutApp().init`).
3. Add a reference to the *.js file in the `<head>` section using the `<scout:script>` tag, e.g.:
`<scout:script src="res/index.js" />`
4. If the extracted *.js file contains `<scout:message>` tags, they have to be moved back to the `<body>` of the corresponding *.html file (because the NLS translation can only process HTML files). The attribute `style` has to be changed from `javascript` to `tag`.
5. Check the web.xml files of your `ui.html.app.*` projects. If you use the scout login form and if you have listed the files to be excluded explicitly (instead of using `/res/*`), then you need to add the new *.js files to the `filter-exclude` section as well.

Example:

Listing 1. *login.html* before migration (Scout 6.0)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>Contacts Application</title>
    <scout:include template="head.html" />
    <scout:stylesheet src="res/scout-login-module.css" />
    <scout:script src="res/jquery-all-macro.js" />
    <scout:script src="res/scout-login-module.js" />
    <script> ①
      $(document).ready(function() {
        scout.login.init({texts: <scout:message style="javascript" key="ui.Login" key
="ui.LoginFailed" key="ui.User" key="ui.Password" /> });
      });
    </script>
  </head>
  <body>
    <scout:include template="no-script.html" />
  </body>
</html>
```

① Prohibited inline script.

Listing 2. *login.html* after migration (Scout 6.1)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>Contacts Application</title>
    <scout:include template="head.html" />
    <scout:stylesheet src="res/scout-login-module.less" />
    <scout:script src="res/jquery-all-macro.js" />
    <scout:script src="res/scout-login-module.js" />
    <scout:script src="res/login.js" /> ①
  </head>
  <body>
    <scout:include template="no-script.html" />
    <scout:message style="tag" key="ui.Login" key="ui.LoginFailed" key="ui.User" key=
"ui.Password" /> ②
  </body>
</html>
```

① External script reference allowed by CSP.

② Moved from JavaScript call to `<body>`, changed style to `tag`.

Listing 3. *res/login.js* after migration (Scout 6.1)

```
$(document).ready(function() {  
  new scout.LoginApp().init(); ①  
});
```

① Translated texts are extracted automatically from DOM.

Renamed *.css files to *.less

Because the former *.css files actually were LESS files, we've changed the wrong file extension from .css to .less. This allows editors with LESS support/validation to properly work with the LESS syntax and simplifies the usage of the LESS @import clause, since the (less) hint is not required anymore.

Steps required to migrate from an older Scout version to version 6.1:

- Rename all *.css files in directory /WebContent/res to *.less
- Change the include syntax in *-macro.less and *-module.less:
 - Old: `@include("scout-module.css")`
 - New: `@import "scout-module.less";`
- In each *.html file in directory /WebContent, use *.less extension in stylesheet tag:
 - Old: `<scout:stylesheet src="res/myapp-all-macro.css" />`
 - New: `<scout:stylesheet src="res/myapp-all-macro.less" />`



Importing regular .css files in module files (*-module.less) is still supported, and required in some cases. Just make sure that all stylesheets using LESS do have a *.less file extension. Macros and modules must always be LESS files.

UiHttpSessionListener replaced by HttpSessionMutex

The HttpSessionListener class `org.eclipse.scout.rt.ui.html.UiHttpSessionListener` has been replaced by the listener class `org.eclipse.scout.rt.server.commons.HttpSessionMutex`. Therefore if the class `UiHttpSessionListener` is registered in the `web.xml` file replace it with `org.eclipse.scout.rt.server.commons.HttpSessionMutex`.

Version check on startup

After a release upgrade, the cached resources (e.g. `index.html`, `*.js`, `*.css`) have most likely changed and must be re-downloaded from the server. Usually, this happens automatically, because the `index.html`'s ETag has changed and the server does not respond with `HTTP 304 Not Modified`. However, we have found that there are rare cases where browsers start the JS app without checking if `index.html` has to be updated (e.g. in Firefox when restoring tabs from a previous session or in Chrome when the "auto discard tab" feature has discarded the application's tab). This results in a mismatch between the UI and the UI server.

To fix potential problems caused by old resources, a version check is performed during application startup. To enable this version check in existing applications, include the tag `<scout:version>` in [index.html](#). New Scout projects created using the *helloworld* archetype already include the tag.



The current version is determined by the value of the configuration property `scout.application.version`.

Example:

```
...
<body>
  ...
  <scout:version /> ①
</body>
...
```

① will be replaced by the application's version

Run Contexts & HttpServiceTunnel

A service tunnel request from UI server to the backend server is always performed within a copy of the current `RunContext`. Until Scout 6.0 if a service tunnel request was performed without a current `RunContext` available, an empty `RunContext` was created. This caused problems on the backend, since an empty `RunContext` does not provide any user information e.g. used for access control or permission checks.

With Scout 6.1 the `HttpServiceTunnel` implementation was changed, in fact that copying the current context requires to run in an existing `RunContext`. If not given and copying the current context, this might be a programming error and should be revisited. Therefore the `HttpServiceTunnel` request fails without a current `RunContext` available.



Migration note: Check service tunnel requests to backend, specially in servlets/filters handling access control and add a run context, if they perform any backend requests using the service tunnel.

See also <https://www.eclipse.org/forums/index.php?t=msg&th=1085119>

JMS connection failover

The scout MOM / JMS managed code supports for connection failover.

Connection failover is achieved using a connection wrapper and a session wrapper around the real jms connection and session. Connection loss is discovered with `(jms)connection.setExceptionHandler`. J2EE jms providers are excluded since those do failover themselves.

The main goal of connection failover is to maintain subscription listeners. All session wrapper

methods do a one-time retry in case of failure. Default connection failover tries to reconnect 15 times every 2 seconds.

Subscription listeners are not stopped when the connection is dropped. However they try to receive messages again and again until the connection is restored or the session is closed by custom code.

Another improvement with similar scope is the subscription process itself. When calling `MOM.subscribe` the call is blocked at maximum for 30 seconds in order to wait for the subscription event loop to effectively start waiting and receiving messages. That way it cannot happen anymore that in the snippet `MOM.subscribe(...)` → schedules a event loop job `MOM.publish(message)` the message is published BEFORE being received from the subscriber due to latency in starting the background job.

Configuration: There are 3 new config.properties defined in `IMom` and `IMomImplementor` -

<code>scout.mom.failover.connectionRetryCount</code>	default	15	-
<code>scout.mom.failover.connectionRetryIntervalMillis</code>	default	2000	-
<code>scout.mom.failover.sessionRetryIntervalMillis</code>	default	5000	-

Migration: The interfaces and api are still stable, however customized jms code must check if some of the following old types/methods are being used or accessed: - method with `IJmsSessionProvider.getSession()` now throws `JMSException` - check override of `JmsMomImplementor.createConnection()` and `postCreateConnection()` so they do not call `connection.setExceptionHandler(...)` - check override of `IJmsSessionProvider`, `JmsSessionProvider` since these are wrapped in the new `JmsSessionProviderWrapper` - do not use `JmsMomImplementor.m_connection` directly since during reconnect the member gets null and changes.

Test: `JmsMomImplementorTest.testSubscribeFailover`



Do you want to improve this document? Have a look at the [sources](#) on GitHub.